

Appendix 7.A

Detailed Recipe for Final EWMP Compliance (Compliance Targets and EWMP Implementation Strategy)

This appendix presents the detailed Compliance Targets and EWMP Implementation Strategy. A series of tables are presented below, organized first by jurisdiction and then by watershed. Index maps of the subwatershed IDs are presented in Appendix 7.B.

The following color-gradients and symbol legend applies to all tables in Appendix 7A:

- RED** = Subwatersheds with highest required % load reductions
- BLUE** = Subwatersheds with highest BMP capacities within a BMP category
- = BMP opportunity was either not available or not selected for the subwatershed
(a value of 0.00 means that BMP capacity is non-zero but less than 0.004).

LIST OF TABLES:

Table 7A-1. Alhambra, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	4
Table 7A-2. Alhambra, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	5
Table 7A-3. Burbank, Burbank Western Channel: RAA Output and EWMP Implementation Plan for Final Compliance	7
Table 7A-4. Burbank, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	9
Table 7A-5. Calabasas, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance	11
Table 7A-6. Glendale, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance	12
Table 7A-7. Glendale, Burbank Western Channel: RAA Output and EWMP Implementation Plan for Final Compliance	13
Table 7A-8. Glendale, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	14
Table 7A-9. Glendale, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance	17
Table 7A-10. Hidden Hills, Bell Creek: RAA Output and EWMP Implementation Plan for Final Compliance	20
Table 7A-11. Hidden Hills, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance	21
Table 7A-12. La Canada Flintridge, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance	22
Table 7A-13. La Canada Flintridge, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	24
Table 7A-14. La Canada Flintridge, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance	25
Table 7A-15. Los Angeles, Aliso Wash: RAA Output and EWMP Implementation Plan for Final Compliance	26
Table 7A-16. Los Angeles, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance	27
Table 7A-17. Los Angeles, Bell Creek: RAA Output and EWMP Implementation Plan for Final Compliance	28
Table 7A-18. Los Angeles, Browns Canyon Wash: RAA Output and EWMP Implementation Plan for Final Compliance	29
Table 7A-19. Los Angeles, Bull Creek: RAA Output and EWMP Implementation Plan for Final Compliance	30

Table 7A-20. Los Angeles, Burbank Western Channel: RAA Output and EWMP Implementation Plan for Final Compliance	32
Table 7A-21. Los Angeles, Compton Creek: RAA Output and EWMP Implementation Plan for Final Compliance	33
Table 7A-22. Los Angeles, LA River—above Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	35
Table 7A-23. Los Angeles, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	38
Table 7A-24. Los Angeles, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance	48
Table 7A-25. Los Angeles, Tujunga Wash: RAA Output and EWMP Implementation Plan for Final Compliance	49
Table 7A-26. Los Angeles, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance	54
Table 7A-27. Montebello, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	55
Table 7A-28. Monterey Park, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	57
Table 7A-29. Monterey Park, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	58
Table 7A-30. Pasadena, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance	59
Table 7A-31. Pasadena, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	61
Table 7A-32. Pasadena, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	62
Table 7A-33. Rosemead, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	65
Table 7A-34. San Fernando, Tujunga Wash: RAA Output and EWMP Implementation Plan for Final Compliance	67
Table 7A-35. San Gabriel, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	68
Table 7A-36. San Marino, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	70
Table 7A-37. South El Monte, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	72
Table 7A-38. South El Monte, San Gabriel River: RAA Output and EWMP Implementation Plan for Final Compliance	73
Table 7A-39. South Pasadena, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance	74
Table 7A-40. South Pasadena, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	75
Table 7A-41. South Pasadena, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	76
Table 7A-42. Temple City, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	77
Table 7A-43. Uninc. LA County, Aliso Wash: RAA Output and EWMP Implementation Plan for Final Compliance	79
Table 7A-44. Uninc. LA County, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance	80

Table 7A-45. Uninc. LA County, Bell Creek: RAA Output and EWMP Implementation Plan for Final Compliance	81
Table 7A-46. Uninc. LA County, Browns Canyon Wash: RAA Output and EWMP Implementation Plan for Final Compliance	82
Table 7A-47. Uninc. LA County, Bull Creek: RAA Output and EWMP Implementation Plan for Final Compliance	83
Table 7A-48. Uninc. LA County, Compton Creek: RAA Output and EWMP Implementation Plan for Final Compliance	84
Table 7A-49. Uninc. LA County, LA River—above Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	86
Table 7A-50. Uninc. LA County, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance	87
Table 7A-51. Uninc. LA County, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance	90
Table 7A-52. Uninc. LA County, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance	91
Table 7A-53. Uninc. LA County, Tujunga Wash: RAA Output and EWMP Implementation Plan for Final Compliance	96
Table 7A-54. Uninc. LA County, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance	98

Table 7A-1. Alhambra, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
Ordinance				Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private					
635802	0.42	1.81	8%	0.12	---	---	0.29	---	---	0.00	---	---	---	0.4	1.81	2.2
635902	0.36	1.30	9%	0.10	---	---	0.24	---	---	---	---	---	---	0.3	1.30	1.6
636002	0.59	2.01	9%	0.13	---	---	0.42	---	---	---	---	---	---	0.5	2.01	2.6
636102	11.32	---	79%	0.41	---	0.02	0.00	1.85	---	0.01	---	---	7.23	9.5	---	9.5
636202	0.56	0.27	16%	0.03	---	---	0.04	0.26	---	0.00	---	---	0.11	0.4	0.27	0.7
636302	10.77	1.97	21%	0.36	---	0.15	0.46	0.42	---	0.47	---	---	1.82	3.7	1.97	5.6
636402	0.84	0.51	23%	0.03	---	---	0.09	0.35	0.00	0.24	---	---	0.01	0.7	0.51	1.2
Total	24.9	7.8	32%	1.2	0.0	0.2	1.5	2.9	0.0	0.7	0.0	0.0	9.2	15.7	7.8	23.5

Table 7A-2. Alhambra, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
612302	1.64	1.25	19%	0.11	---	---	0.36	0.51	---	0.26	---	---	1.2	1.25	2.5
612402	40.01	0.00	79%	0.60	---	---	0.43	11.65	0.01	0.00	---	17.39	30.1	0.00	30.1
612502	15.65	4.40	58%	0.32	---	---	0.39	8.55	7.01	---	---	---	16.3	4.40	20.7
614402	4.43	0.88	47%	0.10	---	---	0.31	2.71	0.00	0.26	---	---	3.4	0.88	4.3
614502	2.94	1.57	9%	0.08	---	---	0.09	---	1.72	2.10	---	---	4.0	1.57	5.6
614702	0.02	0.00	5%	---	---	---	---	---	---	0.11	---	---	0.1	0.00	0.1
614902	0.14	0.13	9%	0.01	---	0.00	0.00	---	---	0.42	---	---	0.4	0.13	0.6
615002	4.79	2.83	42%	0.16	---	---	0.31	2.43	4.79	0.00	---	---	7.7	2.83	10.5
615102	1.66	0.12	49%	0.03	---	0.24	0.00	0.68	2.38	0.00	---	---	3.3	0.12	3.5
615202	0.45	0.04	75%	0.03	---	0.41	---	---	0.02	0.02	---	---	0.5	0.04	0.5
615302	3.30	0.26	42%	0.09	---	0.18	0.04	1.25	13.46	---	---	---	15.0	0.26	15.3
615402	4.88	0.57	49%	0.11	---	---	0.00	2.76	9.88	---	---	---	12.7	0.57	13.3
615502	11.18	0.07	85%	0.15	---	---	0.04	3.40	14.72	0.01	---	3.08	21.4	0.07	21.5
615602	2.95	0.72	49%	0.07	---	---	0.07	1.67	5.02	0.02	---	---	6.8	0.72	7.6
615702	0.44	0.54	19%	0.02	---	---	0.11	0.10	0.65	---	---	---	0.9	0.54	1.4
615802	1.41	0.19	42%	0.03	---	---	0.00	0.74	4.23	0.00	---	---	5.0	0.19	5.2

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
616102	6.30	0.94	47%	0.15	---	0.09	0.25	3.26	0.06	0.17	---	---	4.0	0.94	4.9	
616202	0.96	0.47	47%	0.02	---	---	0.05	0.54	0.29	---	---	---	0.9	0.47	1.4	
616602	0.20	0.71	11%	0.02	---	---	0.10	---	---	---	---	---	0.1	0.71	0.8	
Total	103.3	15.7	59%	2.1	0.0	0.9	2.6	40.3	64.2	3.4	0.0	20.5	133.9	15.7	149.6	

Table 7A-3. Burbank, Burbank Western Channel: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
659713	2.34	0.44	56%	0.07	---	---	0.07	1.53	---	---	0.00	---	1.7	0.44	2.1
659813	12.87	0.00	90%	0.25	0.00	---	0.09	3.76	---	0.14	---	5.60	9.9	0.00	9.9
660013	1.46	0.21	50%	0.06	---	---	0.04	0.84	---	0.07	0.00	---	1.0	0.21	1.2
660113	9.04	0.03	90%	0.16	---	0.10	0.12	3.72	---	0.98	---	1.96	7.0	0.03	7.1
660213	11.84	0.03	85%	0.36	---	0.38	0.01	1.54	---	0.99	0.06	5.07	8.4	0.03	8.4
660313	80.32	0.00	90%	1.39	---	0.50	1.05	16.36	---	1.30	---	32.76	53.4	0.00	53.4
660413	11.82	1.86	55%	0.38	---	1.26	1.18	---	---	8.29	0.06	0.00	11.2	1.86	13.0
660513	3.43	2.05	17%	0.22	---	0.44	0.34	---	---	1.82	0.10	---	2.9	2.05	5.0
660613	0.42	0.05	41%	0.01	---	---	0.00	0.28	---	0.00	---	---	0.3	0.05	0.3
660713	5.93	0.14	70%	0.11	---	0.15	0.06	2.59	---	1.40	---	---	4.3	0.14	4.4
660813	1.30	0.57	32%	0.06	---	0.62	0.11	0.00	---	0.00	0.06	---	0.9	0.57	1.4
660913	3.15	0.52	53%	0.06	---	---	0.00	---	---	---	0.83	---	0.9	0.52	1.4
661013	4.44	0.00	95%	0.09	---	0.00	0.03	0.71	---	0.01	0.00	2.27	3.1	0.00	3.1
661113	0.48	1.10	14%	0.10	---	---	0.34	---	---	---	0.00	---	0.4	1.10	1.5
661213	2.80	---	95%	0.07	---	---	---	0.20	---	---	---	1.62	1.9	---	1.9
661313	0.15	0.30	13%	0.02	---	0.01	0.03	---	---	---	0.08	---	0.1	0.30	0.4
661413	2.42	0.41	55%	0.07	---	0.31	0.27	---	---	0.02	1.29	---	2.0	0.41	2.4

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
661513	0.05	0.01	90%	0.01	---	---	---	---	---	---	0.04	---	0.0	0.01	0.1
661613	0.71	0.12	58%	0.02	---	---	0.04	---	---	0.02	0.64	---	0.7	0.12	0.8
661713	0.21	0.12	41%	0.02	---	---	0.04	0.14	---	---	---	---	0.2	0.12	0.3
662313	---	0.00	10%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	155.2	8.0	75%	3.5	0.0	3.8	3.8	31.7	0.0	15.1	3.1	49.3	110.3	8.0	118.2

Table 7A-4. Burbank, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
657613	0.89	1.55	14%	0.11	0.00	---	0.05	---	---	0.33	---	---	0.5	1.55	2.0	
658413	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0	
658613	1.05	0.37	37%	0.01	---	---	0.06	---	---	0.60	---	---	0.7	0.37	1.0	
658813	0.21	0.66	15%	0.02	---	---	0.10	---	---	0.02	---	---	0.1	0.66	0.8	
658913	0.25	0.27	16%	0.01	---	---	0.03	---	---	0.13	---	---	0.2	0.27	0.4	
659013	0.07	0.02	79%	0.01	---	---	0.00	---	---	0.04	---	---	0.0	0.02	0.1	
659113	1.36	0.69	20%	0.03	---	---	0.10	---	---	0.75	---	---	0.9	0.69	1.6	
659213	0.59	0.22	26%	0.01	---	---	0.03	---	---	0.34	---	---	0.4	0.22	0.6	
659313	0.79	0.23	45%	0.01	---	---	0.05	---	---	0.45	---	---	0.5	0.23	0.7	
659513	0.00	0.01	11%	0.00	---	---	---	---	---	0.00	---	---	0.0	0.01	0.0	
659613	19.06	4.30	50%	0.64	---	1.89	1.31	6.24	---	0.00	2.55	0.00	12.6	4.30	16.9	
662413	0.21	0.75	16%	0.04	---	---	0.03	0.04	---	0.07	---	---	0.2	0.75	0.9	
662613	0.38	0.01	51%	0.01	---	0.22	0.01	0.02	---	0.01	---	---	0.3	0.01	0.3	
662713	0.58	1.02	21%	0.04	---	0.02	0.16	---	---	0.06	---	---	0.3	1.02	1.3	
662813	0.23	1.39	14%	0.10	---	---	0.03	---	---	0.00	---	---	0.1	1.39	1.5	
662913	10.57	19.07	20%	0.80	---	1.82	1.53	0.66	---	0.71	0.51	0.00	6.0	19.07	25.1	
663013	8.33	2.65	45%	0.34	---	0.01	0.86	4.28	---	0.03	0.11	0.00	5.6	2.65	8.3	

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
663213	0.27	0.47	22%	0.03	---	0.09	0.04	---	---	---	---	---	---	0.2	0.47	0.6
663313	0.70	2.97	15%	0.16	---	0.00	0.01	0.20	---	---	---	---	---	0.4	2.97	3.3
663413	1.89	0.53	56%	0.04	---	---	---	0.98	---	---	---	---	---	1.0	0.53	1.5
663613	2.09	1.12	45%	0.06	---	---	0.12	0.99	---	---	---	---	---	1.2	1.12	2.3
663813	0.00	0.00	14%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
663913	0.02	0.03	15%	0.00	---	---	0.01	---	---	---	---	---	---	0.0	0.03	0.0
664213	0.04	0.25	12%	0.03	---	---	---	---	---	---	---	---	---	0.0	0.25	0.3
Total	49.6	38.6	32%	2.5	0.0	4.0	4.6	13.4	0.0	3.5	3.2	0.0	31.2	38.6	69.8	

Table 7A-5. Calabasas, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
698314	5.42	---	96%	0.04	---	---	0.15	---	---	---	---	4.61	4.8	---	4.8
698414	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
698814	18.05	---	95%	0.18	---	0.59	0.14	0.33	---	2.48	---	10.16	13.9	---	13.9
698914	16.58	---	95%	0.16	---	---	0.64	0.11	---	0.00	---	13.00	13.9	---	13.9
699014	2.34	3.10	21%	0.16	---	---	0.59	0.78	---	0.54	---	0.63	2.7	3.10	5.8
699214	11.41	---	90%	0.11	---	---	0.32	0.18	---	---	---	8.95	9.5	---	9.5
699314	14.75	---	81%	0.11	---	---	0.17	---	---	---	---	12.01	12.3	---	12.3
Total	68.5	3.1	84%	0.8	0.0	0.6	2.0	1.4	0.0	3.0	0.0	49.4	57.1	3.1	60.2

Table 7A-6. Glendale, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
642529	0.00	0.00	23%	---	---	---	0.00	---	---	---	---	---	---	0.0	0.00	0.0
644329	0.00	0.02	13%	0.00	---	---	0.00	---	---	---	---	---	---	0.0	0.02	0.0
644429	0.09	0.02	47%	0.00	---	---	---	---	---	0.00	---	0.07	---	0.1	0.02	0.1
Total	0.1	0.0	41%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1

Table 7A-7. Glendale, Burbank Western Channel: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
Ordinance				Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
659729	0.93	0.12	56%	0.03	---	---	0.01	0.58	---	---	---	---	0.6	0.12	0.7
659829	---	0.00	10%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
659929	2.76	---	91%	0.03	---	---	0.04	0.57	---	---	---	1.01	1.7	---	1.7
660929	---	0.00	8%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
662329	---	0.01	10%	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0
Total	3.7	0.1	76%	0.1	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.0	2.3	0.1	2.4

Table 7A-8. Glendale, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
648029	0.06	0.18	15%	0.01	---	---	0.04	---	---	0.00	---	---	0.1	0.18	0.2
648129	0.05	0.35	13%	0.05	---	---	---	---	---	---	---	---	0.0	0.35	0.4
648329	3.92	4.08	20%	0.30	---	0.04	0.39	1.42	---	0.99	---	---	3.1	4.08	7.2
648429	3.59	0.89	36%	0.12	---	---	0.04	1.97	---	0.30	---	---	2.4	0.89	3.3
648529	6.86	2.42	40%	0.22	---	---	0.23	3.24	---	0.87	---	0.00	4.6	2.42	7.0
648629	2.15	0.84	25%	0.12	---	0.04	0.39	---	---	0.96	---	---	1.5	0.84	2.4
648729	0.11	0.04	71%	0.01	---	0.00	0.00	---	---	0.18	---	---	0.2	0.04	0.2
648829	1.03	5.63	13%	0.20	---	---	0.61	---	---	0.20	---	---	1.0	5.63	6.6
648929	0.57	3.71	15%	0.10	---	---	0.42	---	---	---	---	---	0.5	3.71	4.2
649029	0.17	1.07	15%	0.03	---	---	0.12	---	---	0.01	---	---	0.2	1.07	1.2
649229	0.16	0.57	15%	0.04	---	---	0.01	0.06	---	0.02	---	---	0.1	0.57	0.7
650229	7.71	3.65	25%	0.50	---	0.21	0.04	5.56	---	1.35	---	---	7.7	3.65	11.3
650329	0.08	0.01	91%	0.00	---	---	---	---	---	0.20	---	---	0.2	0.01	0.2
650529	0.09	0.01	---	---	---	---	---	---	---	0.21	---	---	0.2	0.01	0.2
650629	0.38	0.05	26%	0.01	---	---	---	---	---	0.90	---	---	0.9	0.05	1.0
650729	2.58	0.79	40%	0.08	---	---	0.02	1.58	---	0.39	---	---	2.1	0.79	2.8

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
650829	27.31	2.77	40%	0.71	---	0.35	0.10	16.20	---	4.26	---	0.01	21.6	2.77	24.4
650929	0.03	0.30	12%	0.02	---	---	---	---	---	---	---	---	0.0	0.30	0.3
651029	0.00	0.00	50%	0.00	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0
651129	6.79	1.50	41%	0.23	---	0.02	0.06	4.12	---	0.82	---	0.00	5.2	1.50	6.7
651229	---	0.06	10%	---	---	---	---	---	---	---	---	---	0.0	0.06	0.1
657529	3.22	2.48	30%	0.16	---	0.05	0.32	0.77	---	1.05	---	---	2.4	2.48	4.8
657629	8.64	5.19	30%	0.58	---	0.10	0.09	5.06	---	1.05	---	---	6.9	5.19	12.1
657729	6.92	2.17	45%	0.23	---	0.16	0.55	3.64	---	0.62	---	---	5.2	2.17	7.4
657829	0.64	0.08	77%	0.01	---	0.00	0.02	0.39	---	0.02	---	---	0.4	0.08	0.5
657929	0.39	0.34	13%	0.00	---	---	0.01	---	---	0.18	---	---	0.2	0.34	0.5
658029	0.71	2.11	16%	0.07	---	---	0.32	---	---	0.07	---	---	0.5	2.11	2.6
658129	1.42	0.95	27%	0.02	---	---	0.10	0.05	---	0.57	---	---	0.8	0.95	1.7
658229	0.95	0.58	31%	0.01	---	---	0.00	---	---	0.45	---	---	0.5	0.58	1.0
658329	0.80	1.64	16%	0.07	---	---	0.24	---	---	0.23	---	---	0.5	1.64	2.2
658429	0.05	0.01	80%	0.00	---	---	---	---	---	0.03	---	---	0.0	0.01	0.0
658529	0.90	0.53	76%	0.02	---	---	---	---	---	0.42	---	---	0.4	0.53	1.0
658629	0.20	0.65	16%	0.02	---	---	0.11	---	---	0.02	---	---	0.1	0.65	0.8
658729	0.30	0.32	18%	0.01	---	---	0.06	---	---	0.13	---	---	0.2	0.32	0.5

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
658829	0.04	0.16	14%	0.00	---	---	0.02	---	---	0.00	---	---	0.0	0.16	0.2
658929	0.00	0.01	16%	0.00	---	---	0.00	---	---	0.00	---	---	0.0	0.01	0.0
659029	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
659229	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
659429	2.00	1.82	40%	0.14	---	0.24	0.06	0.69	---	---	---	---	1.1	1.82	3.0
659529	2.78	1.72	40%	0.09	---	---	0.06	1.33	---	0.09	---	---	1.6	1.72	3.3
659629	0.03	0.00	71%	0.00	---	---	0.00	0.02	---	---	---	---	0.0	0.00	0.0
Total	93.6	49.7	32%	4.2	0.0	1.2	4.5	46.1	0.0	16.6	0.0	0.0	72.6	49.7	122.3

Table 7A-9. Glendale, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
651329	9.75	--	75%	0.17	--	0.10	0.21	1.03	5.35	0.02	--	3.65	10.5	--	10.5
651429	7.70	2.88	45%	0.16	--	0.00	0.35	3.02	--	1.40	--	0.01	4.9	2.88	7.8
651529	4.13	1.49	40%	0.16	--	0.12	0.25	3.70	--	0.03	--	--	4.3	1.49	5.7
651629	7.56	0.54	66%	0.10	--	0.00	0.08	1.46	--	1.09	--	2.08	4.8	0.54	5.4
651729	1.42	0.00	85%	0.03	--	0.14	--	0.76	--	0.00	--	0.76	1.7	0.00	1.7
651829	10.43	0.56	45%	0.19	0.00	0.01	0.50	2.99	--	0.36	--	3.14	7.2	0.56	7.7
651929	1.10	0.28	50%	0.02	--	0.02	0.03	0.61	--	0.00	--	0.00	0.7	0.28	1.0
652029	2.44	0.20	60%	0.04	--	0.26	0.08	0.62	--	0.62	--	0.00	1.6	0.20	1.8
652129	0.38	1.87	14%	0.06	--	--	0.25	--	--	0.00	--	0.00	0.3	1.87	2.2
652229	0.34	1.31	15%	0.04	--	0.00	0.21	--	--	0.00	--	0.01	0.3	1.31	1.6
652329	1.13	0.13	30%	0.01	--	0.01	0.00	0.03	--	1.09	--	--	1.1	0.13	1.3
652429	0.18	0.69	16%	0.02	--	0.00	0.11	--	--	--	--	--	0.1	0.69	0.8
652529	0.22	0.90	16%	0.03	--	0.01	0.15	--	--	0.00	--	0.00	0.2	0.90	1.1
652629	0.04	0.20	13%	0.01	--	--	0.01	--	--	0.01	--	0.00	0.0	0.20	0.2
652729	1.01	1.69	20%	0.07	--	0.20	0.07	0.37	--	0.21	--	0.00	0.9	1.69	2.6
652829	5.52	2.51	21%	0.10	--	0.10	0.41	0.34	--	0.85	--	1.64	3.4	2.51	6.0
652929	0.15	1.94	13%	0.03	--	--	0.11	--	--	--	--	--	0.1	1.94	2.1

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
653029	0.05	0.70	12%	0.01	---	---	0.03	---	---	0.00	---	0.00	0.0	0.70	0.7
653129	3.98	0.11	56%	0.02	---	0.12	0.07	0.26	---	0.67	---	1.29	2.4	0.11	2.6
653229	0.31	1.63	15%	0.05	---	0.01	0.18	---	---	0.00	---	0.00	0.2	1.63	1.9
653329	3.98	4.26	35%	0.16	---	0.07	0.24	3.61	---	0.30	---	---	4.4	4.26	8.7
653429	0.43	1.36	20%	0.03	---	---	0.06	0.30	---	---	---	---	0.4	1.36	1.8
653529	1.61	1.36	35%	0.08	---	0.03	0.08	0.94	---	---	---	---	1.1	1.36	2.5
653629	1.90	0.37	46%	0.04	---	---	0.09	1.16	---	---	---	---	1.3	0.37	1.7
653729	0.09	0.58	14%	0.02	---	---	0.07	---	---	0.00	---	---	0.1	0.58	0.7
653829	0.66	1.41	21%	0.04	---	---	0.16	0.27	---	---	---	---	0.5	1.41	1.9
653929	0.02	0.12	15%	0.00	---	---	0.02	---	---	---	---	---	0.0	0.12	0.1
654029	0.26	1.65	14%	0.05	---	---	0.18	---	---	---	---	---	0.2	1.65	1.9
654129	0.09	0.39	15%	0.01	---	---	0.05	0.01	---	---	---	---	0.1	0.39	0.5
654229	1.79	0.74	47%	0.04	---	0.01	0.09	1.07	---	---	---	---	1.2	0.74	2.0
654629	2.01	0.36	45%	0.04	---	0.05	0.07	1.01	---	0.15	---	---	1.3	0.36	1.7
655129	2.36	0.48	50%	0.05	---	---	0.15	1.41	---	---	---	---	1.6	0.48	2.1
655229	0.60	0.56	31%	0.02	---	---	0.06	0.34	---	---	---	---	0.4	0.56	1.0
655329	0.17	0.17	25%	0.01	---	0.00	0.04	0.10	---	0.02	---	---	0.2	0.17	0.3
655429	0.07	0.10	20%	0.00	---	---	0.01	0.02	---	0.00	---	---	0.0	0.10	0.1

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
655529	0.19	0.09	40%	0.00	---	0.02	0.01	0.09	---	---	---	---	0.1	0.09	0.2
655829	0.31	0.49	26%	0.02	---	---	0.06	0.15	---	0.00	---	---	0.2	0.49	0.7
655929	3.31	2.18	30%	0.13	---	---	0.34	1.68	---	0.09	---	---	2.2	2.18	4.4
656029	0.86	1.79	20%	0.06	---	0.03	0.17	0.34	---	---	---	---	0.6	1.79	2.4
656129	0.00	0.06	11%	0.00	---	---	---	---	---	---	---	---	0.0	0.06	0.1
656229	9.98	1.37	55%	0.17	---	0.12	0.58	1.75	---	4.50	---	---	7.1	1.37	8.5
656329	0.03	0.28	14%	0.02	---	---	---	---	---	0.00	---	---	0.0	0.28	0.3
656429	0.08	0.24	19%	0.01	---	0.03	0.02	---	---	---	---	---	0.1	0.24	0.3
656529	1.02	0.87	31%	0.05	---	0.00	0.11	0.48	---	0.00	---	---	0.6	0.87	1.5
656629	3.02	1.31	40%	0.07	---	0.01	0.27	1.74	---	0.00	---	---	2.1	1.31	3.4
656729	0.04	0.17	15%	0.01	---	---	0.03	---	---	---	---	---	0.0	0.17	0.2
656829	0.02	0.09	15%	0.00	---	---	0.01	---	---	---	---	---	0.0	0.09	0.1
656929	0.13	0.31	20%	0.01	---	0.00	0.02	0.07	---	---	---	---	0.1	0.31	0.4
657129	0.67	0.51	30%	0.03	---	0.02	0.11	0.31	---	---	---	---	0.5	0.51	1.0
657229	0.05	0.44	15%	0.02	---	---	0.00	0.01	---	0.00	---	---	0.0	0.44	0.5
657329	0.00	0.02	12%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.02	0.0
Total	93.6	43.7	41%	2.6	0.0	1.5	6.2	32.0	5.3	11.4	0.0	12.6	71.7	43.7	115.4

Table 7A-10. Hidden Hills, Bell Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
700234	0.24	--	26%	0.01	--	--	0.00	0.08	--	--	--	0.19	0.3	--	0.3	
Total	0.2	0.0	26%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.3	0.0	0.3	

Table 7A-11. Hidden Hills, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
698834	6.39	--	89%	0.03	--	--	0.01	--	--	0.00	--	5.03	5.1	--	5.1
Total	6.4	0.0	89%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	5.1	0.0	5.1

Table 7A-12. La Canada Flintridge, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
642539	0.00	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
642739	0.00	0.01	5%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0
642939	2.60	1.87	21%	0.38	---	---	0.14	1.40	---	---	---	---	---	1.9	1.87	3.8
643939	0.18	0.21	12%	0.02	---	---	---	0.12	---	---	---	---	---	0.1	0.21	0.4
644039	2.17	3.75	27%	0.12	---	0.02	0.32	1.07	---	---	---	---	---	1.5	3.75	5.3
644139	0.19	1.59	8%	0.05	---	---	0.10	---	---	---	---	---	---	0.1	1.59	1.7
644239	0.03	0.16	10%	0.00	---	---	0.02	---	---	---	---	---	---	0.0	0.16	0.2
644339	0.05	1.92	6%	0.04	---	---	0.00	---	---	---	---	---	---	0.0	1.92	2.0
644439	1.25	2.04	32%	0.06	---	---	0.10	0.87	---	0.00	---	---	---	1.0	2.04	3.1
644539	7.05	---	74%	0.09	---	---	0.20	0.28	---	---	---	---	4.72	5.3	---	5.3
644639	8.69	---	74%	0.09	---	0.01	0.29	1.71	---	---	---	---	4.07	6.2	---	6.2
644739	0.96	1.85	27%	0.06	---	0.00	0.20	0.47	---	---	---	---	---	0.7	1.85	2.6
644839	1.16	0.19	58%	0.02	---	---	0.06	0.79	---	---	---	---	---	0.9	0.19	1.1
644939	0.00	0.01	9%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0
645139	0.00	0.01	15%	0.00	---	---	0.00	---	---	---	---	---	---	0.0	0.01	0.0
645339	0.00	0.01	9%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
645439	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
645639	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	24.3	13.6	39%	0.9	0.0	0.0	1.4	6.7	0.0	0.0	0.0	8.8	17.9	13.6	31.5

Table 7A-13. La Canada Flintridge, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
648939	0.11	0.00	37%	0.00	---	---	0.00	0.02	---	---	---	0.07	0.1	0.00	0.1
649039	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	0.1	0.0	37%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1

Table 7A-14. La Canada Flintridge, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
653339	1.81	4.85	9%	0.08	---	---	0.17	---	---	0.49	---	---	0.7	4.85	5.6
653439	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
654239	7.58	0.00	64%	0.11	---	0.04	0.23	0.91	---	0.00	---	4.09	5.4	0.00	5.4
654339	0.02	0.24	9%	0.00	---	---	0.01	---	---	---	---	---	0.0	0.24	0.3
654439	0.11	0.32	16%	0.01	---	---	0.02	0.03	---	---	---	---	0.1	0.32	0.4
654539	0.03	0.06	21%	0.00	---	---	0.00	0.02	---	---	---	---	0.0	0.06	0.1
654639	0.30	0.33	21%	0.01	---	---	0.06	0.13	---	---	---	---	0.2	0.33	0.5
654739	0.03	0.18	10%	0.00	---	---	0.02	---	---	---	---	---	0.0	0.18	0.2
654839	0.00	0.01	10%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
Total	9.9	6.0	41%	0.2	0.0	0.0	0.5	1.1	0.0	0.5	0.0	4.1	6.5	6.0	12.4

Table 7A-15. Los Angeles, Aliso Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
692549	40.74	---	95%	0.65	0.03	1.99	1.08	7.14	---	0.91	---	6.13	17.9	---	17.9
692649	2.77	1.55	11%	0.14	---	0.08	0.33	---	---	7.84	---	0.24	8.6	1.55	10.2
692749	12.30	---	79%	0.43	0.85	0.07	0.17	6.65	---	0.16	---	6.15	14.5	---	14.5
692849	113.32	---	85%	2.15	0.18	---	2.51	32.32	---	0.00	---	44.04	81.2	---	81.2
692949	0.44	2.81	8%	0.14	---	---	0.24	---	---	---	---	---	0.4	2.81	3.2
693049	0.58	2.98	9%	0.18	---	---	0.27	---	---	0.00	---	0.01	0.5	2.98	3.4
693149	0.64	2.02	10%	0.11	---	---	0.43	---	---	---	---	---	0.5	2.02	2.6
693249	0.45	1.11	12%	0.07	0.00	---	0.31	---	---	---	---	---	0.4	1.11	1.5
693349	6.60	1.44	31%	0.17	0.02	0.07	0.53	---	---	0.53	---	1.44	2.8	1.44	4.2
693449	5.40	3.30	16%	0.31	0.12	---	1.26	0.54	---	0.49	---	1.34	4.1	3.30	7.4
693549	13.43	0.39	30%	0.16	---	---	0.69	---	---	2.25	---	6.22	9.3	0.39	9.7
693649	9.14	0.79	20%	0.14	0.01	---	0.65	---	---	1.48	---	4.10	6.4	0.79	7.2
693749	9.93	3.71	12%	0.46	0.28	---	0.85	---	0.00	1.48	---	4.04	7.1	3.71	10.8
693849	0.57	2.07	10%	0.10	0.00	---	0.39	---	---	0.00	---	0.00	0.5	2.07	2.6
693949	0.04	0.26	9%	0.03	---	---	0.01	---	---	---	---	---	0.0	0.26	0.3
694049	0.00	0.01	8%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
Total	216.4	22.4	62%	5.2	1.5	2.2	9.7	46.6	0.0	15.1	0.0	73.7	154.2	22.4	176.6

Table 7A-16. Los Angeles, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
640249	13.23	0.37	48%	0.50	---	0.15	0.78	3.36	3.11	0.01	---	---	7.9	0.37	8.3	
640349	0.14	0.20	7%	0.14	---	---	0.00	---	0.00	---	---	---	0.1	0.20	0.3	
640449	0.13	0.05	12%	0.03	---	0.08	0.01	---	---	0.01	---	---	0.1	0.05	0.2	
640549	11.04	0.49	9%	0.54	0.02	---	1.37	---	13.09	0.05	---	---	15.1	0.49	15.6	
640649	5.29	0.08	38%	0.20	---	---	0.15	4.45	0.00	0.00	---	---	4.8	0.08	4.9	
640749	6.02	0.07	47%	0.22	0.00	0.24	0.22	2.89	---	3.28	---	---	6.9	0.07	6.9	
640849	10.06	0.01	63%	0.23	---	0.35	0.54	2.98	0.01	5.00	---	---	9.1	0.01	9.1	
640949	1.20	0.02	37%	0.06	---	0.22	0.01	0.43	---	0.04	---	---	0.7	0.02	0.8	
641049	2.44	0.01	48%	0.05	---	---	0.08	1.63	0.02	0.44	---	---	2.2	0.01	2.2	
641149	0.92	0.01	48%	0.02	---	0.02	0.04	0.69	0.13	---	---	---	0.9	0.01	0.9	
641449	0.03	0.00	64%	0.00	---	0.02	0.00	---	---	0.01	---	---	0.0	0.00	0.0	
641549	1.09	0.01	49%	0.03	---	0.11	0.11	---	0.60	0.00	---	---	0.9	0.01	0.9	
641649	0.00	0.00	13%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0	
642049	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0	
Total	51.6	1.3	39%	2.0	0.0	1.2	3.3	16.4	17.0	8.8	0.0	0.0	48.8	1.3	50.1	

Table 7A-17. Los Angeles, Bell Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
699949	14.85	0.00	90%	0.17	0.44	---	0.16	4.12	---	0.01	---	7.88	12.8	0.00	12.8
700049	1.95	3.34	16%	0.17	0.00	---	0.65	0.80	---	---	---	---	1.6	3.34	5.0
700149	0.25	0.83	10%	0.04	---	---	0.17	---	---	---	---	---	0.2	0.83	1.0
700249	5.03	13.98	10%	0.69	0.01	---	2.53	0.92	---	---	---	---	4.1	13.98	18.1
700349	1.55	4.25	11%	0.22	---	---	0.85	0.23	---	---	---	---	1.3	4.25	5.6
700449	2.08	1.71	21%	0.13	---	0.02	0.38	0.07	---	1.36	---	---	2.0	1.71	3.7
Total	25.7	24.1	23%	1.4	0.5	0.0	4.7	6.1	0.0	1.4	0.0	7.9	22.0	24.1	46.1

Table 7A-18. Los Angeles, Browns Canyon Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
695649	46.69	---	90%	0.73	2.02	---	1.24	6.86	---	---	---	20.67	31.5	---	31.5
695749	57.14	---	89%	0.98	0.09	---	0.75	6.98	---	---	---	36.68	45.5	---	45.5
695849	3.49	---	95%	0.04	---	---	0.02	0.48	---	---	---	2.12	2.7	---	2.7
695949	0.07	0.82	11%	0.04	---	---	---	0.09	---	---	---	---	0.1	0.82	1.0
696049	22.76	---	95%	0.42	0.03	0.07	0.14	3.81	---	---	---	11.24	15.7	---	15.7
696149	0.00	0.01	11%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
696249	3.39	---	98%	0.05	---	---	0.22	---	---	---	---	2.47	2.7	---	2.7
696449	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
696649	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
696749	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	133.5	0.8	89%	2.3	2.1	0.1	2.4	18.2	0.0	0.0	0.0	73.2	98.3	0.8	99.1

Table 7A-19. Los Angeles, Bull Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
688549	37.49	0.14	90%	0.56	0.00	---	0.75	2.15	---	1.56	---	14.90	19.9	0.14	20.1
688649	0.83	2.20	10%	0.09	0.01	---	0.38	---	---	0.00	---	---	0.5	2.20	2.7
688749	51.63	0.00	80%	0.68	0.05	---	1.94	1.27	---	0.00	---	37.49	41.4	0.00	41.4
688849	5.24	0.43	60%	0.09	---	---	0.39	1.59	---	---	---	---	2.1	0.43	2.5
688949	15.72	0.00	89%	0.19	0.01	0.01	0.63	1.89	---	0.10	---	5.46	8.3	0.00	8.3
689049	1.12	5.27	9%	0.25	0.01	---	0.71	---	---	---	---	---	1.0	5.27	6.2
689149	9.47	---	90%	0.12	0.00	0.03	0.44	3.56	---	---	---	1.57	5.7	---	5.7
689249	4.80	1.29	43%	0.15	0.01	---	0.51	3.43	---	1.80	---	---	5.9	1.29	7.2
689349	1.26	3.25	11%	0.17	---	---	0.68	0.14	---	0.37	---	---	1.4	3.25	4.6
689449	0.30	1.35	9%	0.07	---	---	0.21	---	---	---	---	---	0.3	1.35	1.6
689549	0.44	1.45	10%	0.07	0.01	---	0.30	---	---	---	---	---	0.4	1.45	1.8
689649	4.41	1.99	25%	0.12	---	1.73	0.47	---	---	1.41	---	---	3.7	1.99	5.7
689749	43.01	0.60	90%	1.35	0.01	15.98	0.30	---	---	11.77	---	---	29.4	0.60	30.0
689849	25.86	0.34	80%	0.64	---	0.70	---	---	---	23.13	---	---	24.5	0.34	24.8
689949	24.91	0.49	82%	0.60	---	6.23	0.00	---	---	15.81	---	---	22.6	0.49	23.1
690049	0.52	1.10	8%	0.05	0.00	---	0.14	---	---	0.27	---	---	0.5	1.10	1.6
690149	9.59	1.53	16%	0.24	---	0.29	0.39	---	---	8.15	---	---	9.1	1.53	10.6

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
690249	1.65	0.83	32%	0.10	---	---	0.01	1.09	---	0.01	---	---	---	1.2	0.83	2.1
690349	0.97	0.46	8%	0.04	---	---	---	---	---	0.87	---	---	---	0.9	0.46	1.4
690449	0.30	2.01	7%	0.12	0.00	---	0.07	---	---	0.05	---	---	---	0.2	2.01	2.3
690549	0.03	0.31	6%	0.02	---	---	---	---	---	---	---	---	---	0.0	0.31	0.3
690749	0.12	1.44	6%	0.09	---	---	---	---	---	---	---	---	---	0.1	1.44	1.5
690949	0.01	0.12	7%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.12	0.1
691049	0.01	0.05	9%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.05	0.1
Total	239.7	26.7	65%	5.9	0.1	25.0	8.3	15.1	0.0	65.3	0.0	59.4	179.1	26.7	205.8	

Table 7A-20. Los Angeles, Burbank Western Channel: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
659749	0.00	0.00	7%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
660349	10.86	0.00	90%	0.22	0.10	---	0.01	1.13	---	0.29	---	5.53	7.3	0.00	7.3	
660949	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0	
661049	0.04	0.01	54%	0.00	---	---	---	0.04	---	---	---	---	0.0	0.01	0.0	
661149	0.01	0.10	7%	0.01	---	---	0.00	---	---	---	---	---	0.0	0.10	0.1	
661249	9.19	0.01	90%	0.21	0.01	---	0.22	1.11	---	0.40	---	4.60	6.6	0.01	6.6	
661549	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0	
661749	4.22	---	90%	0.06	0.00	---	0.17	0.42	---	---	---	2.87	3.5	---	3.5	
661849	11.13	0.06	95%	0.30	0.23	---	0.21	1.27	---	0.01	1.64	2.98	6.6	0.06	6.7	
661949	20.30	0.00	90%	0.29	0.10	---	0.53	4.67	---	---	0.00	8.84	14.4	0.00	14.4	
662049	10.49	0.00	84%	0.13	0.01	0.00	0.12	3.84	---	0.99	0.00	3.70	8.8	0.00	8.8	
662149	1.70	2.89	22%	0.11	0.00	---	0.18	1.28	---	0.02	---	---	1.6	2.89	4.5	
662249	1.41	1.17	26%	0.06	0.63	---	0.10	0.38	---	---	---	---	1.2	1.17	2.3	
662349	0.21	1.66	9%	0.07	0.01	---	0.11	---	---	---	---	---	0.2	1.66	1.8	
Total	69.5	5.9	75%	1.5	1.1	0.0	1.7	14.1	0.0	1.7	1.6	28.5	50.2	5.9	56.1	

Table 7A-21. Los Angeles, Compton Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
602349	0.00	0.00	5%	--	--	--	--	--	--	0.00	--	0.00	0.0	0.00	0.0
602449	22.55	0.00	84%	0.41	0.02	--	0.37	8.71	--	0.11	0.29	5.78	15.7	0.00	15.7
603649	4.45	0.06	69%	0.08	--	--	0.04	1.60	--	--	1.47	--	3.2	0.06	3.2
603949	0.18	0.01	37%	0.01	--	0.00	0.00	0.09	--	0.02	0.02	--	0.1	0.01	0.2
604049	15.40	0.01	90%	0.28	0.01	--	0.24	5.14	--	--	2.30	3.21	11.2	0.01	11.2
604149	3.91	0.09	58%	0.08	0.03	--	0.07	1.82	--	0.08	0.71	--	2.8	0.09	2.9
604249	1.67	0.03	58%	0.10	--	0.00	--	0.83	--	0.04	0.19	0.13	1.3	0.03	1.3
604349	48.93	--	91%	0.98	0.30	--	0.04	22.94	--	2.04	--	8.50	34.8	--	34.8
604449	7.04	0.23	63%	0.16	0.01	0.01	0.37	1.95	--	2.78	0.00	--	5.3	0.23	5.5
604549	14.79	0.00	84%	0.24	0.01	--	0.05	4.86	--	0.95	0.00	4.92	11.0	0.00	11.0
604649	11.83	0.00	91%	0.20	0.00	--	0.46	3.61	--	--	0.00	3.39	7.7	0.00	7.7
604749	11.88	0.00	90%	0.18	0.03	--	0.00	5.55	--	--	0.01	3.02	8.8	0.00	8.8
604849	1.07	0.73	9%	0.58	0.02	--	--	--	--	0.01	0.30	0.10	1.0	0.73	1.7
604949	8.02	0.08	74%	0.18	0.01	0.00	0.18	1.54	--	2.79	--	--	4.7	0.08	4.8
605049	30.69	--	84%	0.50	0.00	--	0.83	14.51	--	0.03	0.02	8.27	24.2	--	24.2
605149	7.23	--	91%	0.10	--	--	0.13	3.02	--	--	--	1.48	4.7	--	4.7
605249	17.45	--	85%	0.33	0.02	--	--	8.72	--	--	--	4.68	13.8	--	13.8

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
605349	14.25	---	84%	0.28	0.02	---	---	7.88	---	---	---	3.89	12.1	---	12.1
605449	17.72	---	89%	0.28	0.02	---	0.01	9.74	---	---	---	4.98	15.0	---	15.0
605549	31.31	---	84%	0.56	0.02	---	0.04	14.57	---	0.02	---	10.92	26.1	---	26.1
605649	7.51	---	91%	0.11	0.01	---	0.04	3.28	---	---	---	1.51	5.0	---	5.0
605749	33.24	---	84%	0.55	0.01	---	0.87	17.16	---	0.01	0.05	7.64	26.3	---	26.3
605849	3.72	0.19	48%	0.11	0.00	---	---	2.88	---	---	---	---	3.0	0.19	3.2
605949	5.82	0.19	53%	0.15	---	---	0.09	4.88	---	---	---	---	5.1	0.19	5.3
606049	0.21	0.45	6%	0.16	0.01	---	0.01	---	---	---	---	---	0.2	0.45	0.6
606149	14.20	---	90%	0.23	0.01	---	0.00	5.02	---	---	---	4.49	9.7	---	9.7
606249	4.05	0.28	43%	0.12	0.02	---	0.02	3.37	---	---	---	---	3.5	0.28	3.8
606349	1.96	0.16	32%	0.08	---	---	0.02	1.58	---	---	---	---	1.7	0.16	1.8
606449	9.11	---	85%	0.19	---	---	---	2.12	---	---	---	5.14	7.4	---	7.4
Total	350.2	2.5	77%	7.2	0.6	0.0	3.9	157.3	0.0	8.9	5.4	82.1	265.4	2.5	267.9

Table 7A-22. Los Angeles, LA River—above Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
691149	0.28	0.13	31%	0.02	---	---	0.02	0.18	---	0.00	---	---	0.2	0.13	0.4
691249	2.51	0.23	58%	0.06	---	---	0.19	1.81	0.01	0.00	---	---	2.1	0.23	2.3
691349	0.28	0.30	21%	0.03	0.00	---	0.04	0.06	---	0.00	---	---	0.1	0.30	0.4
691449	30.04	0.02	95%	0.38	0.01	0.50	1.11	3.96	2.78	0.03	---	15.98	24.8	0.02	24.8
691549	1.11	0.04	74%	0.05	---	---	0.04	0.57	0.21	0.00	---	0.00	0.9	0.04	0.9
691649	17.31	0.04	95%	0.19	0.01	0.03	0.35	3.00	0.16	0.44	---	3.45	7.6	0.04	7.7
691749	0.64	3.21	9%	0.10	0.01	---	0.38	---	0.02	0.01	---	---	0.5	3.21	3.7
691849	1.76	0.01	95%	0.01	---	1.49	0.01	0.10	0.00	---	---	---	1.6	0.01	1.6
691949	35.16	0.00	95%	0.49	0.11	0.01	0.68	5.44	9.94	0.04	---	13.37	30.1	0.00	30.1
692049	8.05	0.00	95%	0.14	0.04	---	0.05	0.97	0.00	13.96	---	2.13	17.3	0.00	17.3
692149	3.97	0.00	95%	0.06	---	0.63	0.12	0.01	0.49	---	---	---	1.3	0.00	1.3
692249	24.14	0.00	95%	0.27	0.01	---	0.33	1.14	11.28	---	---	8.12	21.2	0.00	21.2
692349	42.53	0.00	96%	0.40	0.18	---	0.34	7.44	19.90	---	---	4.97	33.2	0.00	33.2
692449	3.41	3.32	26%	0.20	0.02	0.03	0.52	2.00	0.07	---	---	---	2.8	3.32	6.2
694149	0.02	0.09	10%	0.01	---	---	---	0.01	---	---	---	---	0.0	0.09	0.1
694249	1.55	2.60	17%	0.09	0.01	---	0.28	1.03	0.03	---	---	---	1.4	2.60	4.0
694349	11.53	---	84%	0.16	0.00	---	0.30	2.55	---	---	---	5.78	8.8	---	8.8

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
694449	27.58	---	95%	0.43	0.07	---	0.85	1.32	---	---	---	19.61	22.3	---	22.3
694549	18.46	---	84%	0.17	0.04	---	0.43	1.28	---	---	---	12.01	13.9	---	13.9
694649	2.71	2.75	27%	0.17	---	---	0.44	1.71	---	---	---	---	2.3	2.75	5.1
694749	35.29	---	95%	0.54	0.03	---	1.44	---	---	---	---	25.16	27.2	---	27.2
694849	6.94	---	91%	0.07	0.01	---	0.18	0.51	---	---	---	3.95	4.7	---	4.7
694949	10.35	3.94	37%	0.33	0.02	4.24	0.54	2.26	---	5.03	---	---	12.4	3.94	16.4
695049	0.21	0.47	16%	0.03	---	---	0.07	0.08	---	---	---	---	0.2	0.47	0.6
695149	46.79	---	95%	0.83	0.01	---	1.14	2.99	---	---	---	27.74	32.7	---	32.7
695249	0.65	0.40	21%	0.03	---	0.08	0.07	0.19	---	0.18	---	---	0.6	0.40	0.9
695349	8.19	0.01	95%	0.10	---	1.71	0.42	0.20	---	2.34	---	---	4.8	0.01	4.8
695449	0.18	0.15	21%	0.03	---	---	0.00	0.13	---	---	---	---	0.2	0.15	0.3
695549	0.10	0.25	13%	0.01	---	---	0.05	0.03	---	---	---	---	0.1	0.25	0.3
697449	1.58	0.77	42%	0.07	---	---	0.12	1.14	---	---	---	---	1.3	0.77	2.1
697549	16.10	---	85%	0.30	0.00	---	0.41	2.70	---	---	---	8.72	12.1	---	12.1
697649	76.04	0.06	90%	1.03	0.03	0.03	0.98	9.17	---	41.56	---	16.22	69.0	0.06	69.1
697749	20.41	0.00	89%	0.36	0.01	0.30	0.11	3.14	---	0.18	---	12.13	16.2	0.00	16.2
697849	20.20	---	90%	0.39	0.01	0.02	0.10	3.63	---	0.44	---	9.89	14.5	---	14.5
697949	59.01	0.00	95%	0.72	0.08	---	0.59	6.02	---	0.00	---	39.22	46.6	0.00	46.6

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
698049	6.86	---	90%	0.09	0.00	---	0.08	2.00	---	---	---	3.02	5.2	---	5.2
699449	17.91	---	90%	0.22	---	---	0.37	3.42	---	---	---	8.83	12.8	---	12.8
699549	31.00	---	90%	0.38	---	0.12	0.90	4.78	---	8.78	---	6.69	21.6	---	21.6
699649	4.30	6.59	25%	0.32	0.01	---	1.15	1.82	---	---	---	---	3.3	6.59	9.9
699749	10.86	0.04	95%	0.10	0.00	0.08	0.34	0.34	---	8.15	---	---	9.0	0.04	9.0
699849	0.30	0.14	44%	0.01	---	---	0.02	0.25	---	---	---	---	0.3	0.14	0.4
700549	43.74	---	95%	0.52	0.14	---	1.87	15.57	---	---	---	9.01	27.1	---	27.1
700649	8.70	---	95%	0.11	0.01	---	0.43	1.56	---	---	---	2.06	4.2	---	4.2
700749	0.01	0.08	16%	0.00	---	---	0.01	0.00	---	---	---	---	0.0	0.08	0.1
700849	8.93	---	89%	0.15	---	---	0.20	0.55	---	---	---	5.80	6.7	---	6.7
700949	0.48	3.33	9%	0.30	---	---	0.13	---	---	---	---	---	0.4	3.33	3.8
701049	0.00	0.01	10%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
701149	0.01	0.05	10%	0.00	---	---	0.01	---	---	---	---	---	0.0	0.05	0.1
Total	668.2	29.0	84%	10.5	0.9	9.3	18.2	97.1	44.9	81.1	0.0	263.9	525.8	29.0	554.8

Table 7A-23. Los Angeles, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
600549	0.03	0.22	8%	0.03	---	---	---	---	---	---	---	---	---	0.0	0.22	0.2
635849	0.05	0.12	12%	0.02	---	---	---	0.02	---	0.14	---	---	---	0.2	0.12	0.3
635949	0.48	0.60	29%	0.11	---	---	0.06	0.65	---	0.00	---	---	---	0.8	0.60	1.4
636149	0.00	0.09	6%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.09	0.1
636249	1.14	4.04	8%	0.34	0.05	---	0.72	---	---	0.00	---	0.00	0.00	1.1	4.04	5.2
636349	0.03	0.30	7%	0.00	---	---	0.02	---	---	---	---	---	---	0.0	0.30	0.3
636449	0.00	0.00	39%	---	---	---	---	0.00	---	0.00	---	0.00	0.00	0.0	0.00	0.0
636649	0.00	0.00	12%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
636749	0.29	3.03	7%	0.23	---	---	0.00	---	---	---	---	---	---	0.2	3.03	3.3
636849	3.74	3.82	16%	0.56	---	0.19	0.04	0.02	---	0.19	---	---	---	1.0	3.82	4.8
636949	0.22	2.56	6%	0.15	0.00	---	0.02	---	---	0.01	0.03	---	---	0.2	2.56	2.8
637049	0.02	0.03	11%	0.00	---	---	---	0.01	---	---	---	---	---	0.0	0.03	0.0
637149	0.63	4.46	8%	0.40	0.08	---	0.02	---	---	---	---	---	---	0.5	4.46	5.0
637249	0.01	0.12	7%	0.01	---	---	0.00	---	---	---	0.01	---	---	0.0	0.12	0.1
637649	0.01	0.06	9%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.06	0.1
637749	14.44	5.97	38%	1.01	0.11	---	0.00	11.26	---	---	---	---	---	12.4	5.97	18.4
637849	0.19	1.05	8%	0.16	---	---	---	---	---	---	---	---	---	0.2	1.05	1.2

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
638049	0.09	0.64	7%	0.07	---	---	---	---	---	---	---	---	---	0.1	0.64	0.7
638149	0.63	3.53	8%	0.54	0.00	---	---	---	---	---	---	---	---	0.5	3.53	4.1
638249	6.31	0.57	68%	0.26	---	1.29	---	0.02	---	0.46	---	---	---	2.0	0.57	2.6
638349	9.52	3.53	32%	0.57	0.13	0.09	---	7.17	---	---	---	---	---	8.0	3.53	11.5
638449	44.67	2.09	91%	0.77	0.05	0.13	0.03	21.32	---	10.53	---	6.22	39.1	2.09	41.1	
638549	13.38	4.26	32%	0.71	0.08	---	---	10.33	---	---	---	---	11.1	4.26	15.4	
638649	0.28	2.02	8%	0.24	---	---	---	---	---	---	---	---	0.2	2.02	2.3	
638749	2.22	1.97	19%	0.27	---	1.24	0.00	---	---	0.57	---	---	2.1	1.97	4.0	
638849	4.60	1.64	32%	0.22	0.10	0.05	---	3.47	---	---	---	---	3.8	1.64	5.5	
638949	1.49	15.15	7%	0.85	0.48	0.06	0.01	---	---	0.00	---	---	1.4	15.15	16.6	
639049	2.18	7.44	21%	0.36	0.04	---	0.24	3.02	---	0.00	---	---	3.7	7.44	11.1	
639149	10.72	1.30	26%	0.64	0.01	1.59	0.00	2.59	---	2.42	---	---	7.3	1.30	8.6	
639249	10.47	1.28	58%	0.52	0.70	0.03	0.01	3.24	---	7.45	---	---	11.9	1.28	13.2	
639349	0.18	0.84	9%	0.16	---	---	---	---	---	---	---	---	0.2	0.84	1.0	
639449	45.01	2.20	74%	1.16	1.68	0.29	0.56	1.45	8.86	14.79	---	---	28.8	2.20	31.0	
639549	16.15	1.74	37%	0.19	0.00	---	0.46	1.61	0.00	22.01	---	---	24.3	1.74	26.0	
639649	0.68	8.51	6%	0.43	0.07	0.01	0.01	---	---	0.09	---	---	0.6	8.51	9.1	
639749	2.28	0.12	32%	0.11	0.70	---	0.02	0.98	---	0.17	---	---	2.0	0.12	2.1	

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
639849	8.86	4.67	10%	0.59	0.03	---	0.83	---	---	6.28	---	---	7.7	4.67	12.4
639949	1.65	0.03	89%	0.08	---	0.88	---	0.12	0.05	0.00	---	---	1.1	0.03	1.2
640049	0.14	0.37	18%	0.03	---	---	0.03	0.15	---	0.00	---	---	0.2	0.37	0.6
640149	10.98	0.37	84%	0.27	---	1.29	---	---	8.59	---	---	---	10.2	0.37	10.5
647349	0.19	0.61	10%	0.05	---	0.10	0.00	---	---	0.00	---	---	0.2	0.61	0.8
647449	0.39	2.27	8%	0.14	---	---	0.23	---	---	---	0.00	---	0.4	2.27	2.6
647549	3.87	6.54	31%	0.53	---	1.04	0.35	1.24	---	0.00	1.55	---	4.7	6.54	11.2
647649	1.33	4.50	44%	0.18	0.03	---	0.54	1.06	0.00	---	0.01	---	1.8	4.50	6.3
647749	0.29	2.28	7%	0.12	---	0.00	0.15	---	---	---	0.00	---	0.3	2.28	2.6
647849	0.03	0.28	7%	0.02	---	---	0.00	---	---	---	---	---	0.0	0.28	0.3
647949	0.02	0.60	6%	0.06	---	0.06	0.00	---	---	---	---	---	0.1	0.60	0.7
648049	3.28	16.56	8%	0.90	0.03	---	1.90	---	0.00	0.00	---	---	2.8	16.56	19.4
648149	2.65	10.52	9%	0.56	0.30	---	1.43	---	---	0.00	---	---	2.3	10.52	12.8
648249	0.49	2.85	8%	0.20	0.00	0.00	0.16	---	---	---	---	---	0.4	2.85	3.2
648349	0.95	6.48	7%	0.37	---	---	0.18	---	---	0.20	---	---	0.8	6.48	7.2
648449	1.75	1.79	10%	0.08	0.00	---	0.14	---	---	0.73	---	---	1.0	1.79	2.7
648649	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
648749	0.00	0.00	---	---	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
649149	0.78	1.10	21%	0.11	0.14	0.15	0.02	0.11	---	---	---	---	0.5	1.10	1.6
649249	0.40	2.92	7%	0.14	---	---	0.18	---	---	---	---	---	0.3	2.92	3.2
649349	0.13	1.30	8%	0.10	---	---	0.00	---	---	---	---	---	0.1	1.30	1.4
649449	0.41	0.60	21%	0.06	0.00	---	---	0.19	---	---	---	---	0.3	0.60	0.9
649549	1.27	2.34	33%	0.13	---	---	0.26	1.69	---	---	---	---	2.1	2.34	4.4
649649	1.91	2.71	21%	0.21	0.00	0.12	0.17	0.85	---	0.02	---	---	1.4	2.71	4.1
649749	0.23	1.16	8%	0.05	0.01	0.01	0.12	---	---	---	---	---	0.2	1.16	1.3
649849	1.07	0.07	79%	0.05	---	0.69	0.03	---	---	0.05	---	---	0.8	0.07	0.9
649949	0.91	0.17	19%	0.02	---	0.02	0.07	---	---	0.51	---	---	0.6	0.17	0.8
650049	2.13	0.86	10%	0.07	---	---	0.18	---	---	1.15	---	---	1.4	0.86	2.3
650149	0.68	0.08	64%	0.00	---	0.43	0.00	---	---	---	---	---	0.4	0.08	0.5
650249	0.23	1.27	8%	0.06	0.00	---	0.10	---	---	0.02	---	---	0.2	1.27	1.5
650349	1.16	1.07	30%	0.06	0.70	---	0.04	---	---	0.58	---	---	1.4	1.07	2.4
650449	1.58	0.50	41%	0.04	---	0.98	0.01	---	---	0.02	---	---	1.0	0.50	1.5
650549	0.70	0.61	8%	0.04	0.00	---	0.03	---	---	1.51	---	---	1.6	0.61	2.2
650649	7.64	0.57	85%	0.22	0.00	2.83	0.07	---	---	0.89	---	---	4.0	0.57	4.6
650749	1.75	0.12	79%	0.13	0.08	1.04	---	---	---	---	---	---	1.3	0.12	1.4
650849	0.04	0.34	9%	0.03	0.00	0.00	---	---	---	---	---	---	0.0	0.34	0.4

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
650949	0.52	0.92	17%	0.11	0.20	0.18	---	---	---	---	---	---	---	0.5	0.92	1.4
651049	4.57	3.05	26%	0.28	2.36	0.32	---	0.00	---	0.38	---	---	---	3.3	3.05	6.4
651149	0.66	0.57	23%	0.08	---	0.03	---	---	---	0.31	---	---	---	0.4	0.57	1.0
651249	1.94	1.90	26%	0.19	0.64	---	---	0.26	---	---	---	---	---	1.1	1.90	3.0
657549	1.30	0.08	82%	0.04	0.74	---	---	---	---	---	---	---	---	0.8	0.08	0.9
657649	0.00	0.00	21%	0.00	---	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0
659449	0.59	0.14	60%	0.03	0.40	---	---	---	---	---	---	---	---	0.4	0.14	0.6
659549	1.18	0.16	72%	0.04	0.74	---	0.00	---	---	---	---	---	---	0.8	0.16	0.9
659649	0.02	0.02	16%	0.00	---	---	0.00	0.01	---	---	---	---	---	0.0	0.02	0.0
662449	0.06	0.57	9%	0.04	0.00	---	---	---	---	0.00	---	---	---	0.0	0.57	0.6
662549	0.01	0.02	9%	0.00	---	---	---	---	---	0.00	---	---	---	0.0	0.02	0.0
662649	1.30	1.16	10%	0.13	---	---	---	---	---	0.63	---	---	---	0.8	1.16	1.9
662749	0.00	0.00	14%	0.00	---	---	0.00	---	---	0.00	---	---	---	0.0	0.00	0.0
662849	0.06	0.49	9%	0.04	---	---	0.00	---	---	---	---	---	---	0.0	0.49	0.5
662949	4.63	0.57	53%	0.09	0.64	---	0.11	1.67	---	0.20	---	0.00	---	2.7	0.57	3.3
663049	0.00	0.00	9%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
663149	0.03	0.59	7%	0.04	---	---	---	---	---	0.00	---	---	---	0.0	0.59	0.6
663249	0.01	0.21	9%	0.02	---	---	0.00	---	---	---	---	---	---	0.0	0.21	0.2

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
663349	0.05	0.87	7%	0.05	---	---	---	---	---	---	---	---	---	0.0	0.87	0.9
663449	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
663549	0.08	0.11	22%	0.01	---	---	---	0.04	---	---	---	---	---	0.0	0.11	0.2
663649	0.90	0.82	26%	0.04	0.03	---	0.11	0.31	---	---	---	---	---	0.5	0.82	1.3
663749	0.53	2.19	16%	0.10	0.01	---	0.16	0.44	---	---	---	---	---	0.7	2.19	2.9
663849	0.10	0.69	10%	0.03	---	---	0.02	0.01	---	---	---	---	---	0.1	0.69	0.7
663949	18.17	1.31	63%	0.39	0.23	0.23	0.81	6.01	---	3.79	---	0.04	---	11.5	1.31	12.8
664049	5.69	0.52	58%	0.11	0.01	---	0.16	3.39	---	0.22	---	---	---	3.9	0.52	4.4
664149	8.18	1.74	49%	0.30	0.05	---	0.32	4.87	---	---	---	---	---	5.5	1.74	7.3
664249	26.49	0.59	79%	0.99	0.01	3.82	1.08	0.00	27.99	0.48	1.75	0.00	---	36.1	0.59	36.7
664349	44.18	0.51	84%	1.54	2.10	0.70	0.14	1.82	---	8.17	13.09	---	---	27.6	0.51	28.1
664449	0.11	0.80	10%	0.05	---	---	0.00	0.00	---	---	---	---	---	0.1	0.80	0.9
664549	11.90	3.85	42%	0.28	0.04	---	0.14	6.02	---	---	---	---	---	6.5	3.85	10.3
664649	1.66	7.56	16%	0.28	0.01	---	0.70	1.13	---	---	---	---	---	2.1	7.56	9.7
664749	3.65	2.48	26%	0.14	0.01	---	0.09	1.86	---	---	---	---	---	2.1	2.48	4.6
664849	0.18	1.99	7%	0.06	---	---	0.07	---	---	---	---	---	---	0.1	1.99	2.1
664949	75.07	8.07	63%	1.52	0.10	0.63	2.11	23.92	0.02	13.08	---	---	---	41.4	8.07	49.4
665049	18.97	4.30	49%	0.42	0.04	0.08	0.79	4.03	9.06	0.77	0.00	---	---	15.2	4.30	19.5

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
665149	31.14	6.69	47%	0.95	0.18	---	1.01	14.28	0.30	2.00	0.00	---	18.7	6.69	25.4
665249	32.63	8.82	59%	0.92	0.21	0.17	0.76	---	38.00	0.36	0.00	---	40.4	8.82	49.2
665349	4.29	1.44	42%	0.19	---	---	0.19	0.89	---	2.86	---	---	4.1	1.44	5.6
665449	1.42	7.66	8%	0.31	0.11	---	0.47	---	---	---	---	---	0.9	7.66	8.5
665549	1.88	1.46	27%	0.09	0.01	---	0.13	0.80	---	---	---	---	1.0	1.46	2.5
665649	0.21	0.90	10%	0.03	0.03	---	0.06	---	---	---	---	---	0.1	0.90	1.0
665749	0.12	0.37	16%	0.02	0.00	---	0.06	0.07	---	---	---	---	0.1	0.37	0.5
665849	1.02	5.80	9%	0.25	0.06	---	0.37	---	---	---	---	---	0.7	5.80	6.5
665949	3.15	2.04	31%	0.09	0.04	---	0.20	1.41	---	---	---	---	1.7	2.04	3.8
666049	0.01	0.10	9%	0.01	---	---	---	---	---	---	---	---	0.0	0.10	0.1
682949	1.31	1.42	27%	0.08	0.00	---	0.03	0.60	---	---	---	---	0.7	1.42	2.1
683049	1.07	6.83	12%	0.19	0.03	---	0.78	0.23	---	---	---	---	1.2	6.83	8.1
683149	2.98	4.66	22%	0.15	0.06	---	0.38	1.35	---	---	---	---	1.9	4.66	6.6
683249	0.19	1.24	9%	0.04	0.01	---	0.13	---	---	---	---	---	0.2	1.24	1.4
683349	0.21	1.76	8%	0.04	0.00	---	0.14	---	---	---	---	---	0.2	1.76	2.0
683449	7.13	1.78	48%	0.14	0.05	---	0.24	3.80	---	---	---	---	4.2	1.78	6.0
683549	0.13	1.50	8%	0.04	---	---	0.08	---	---	---	---	---	0.1	1.50	1.6
683649	2.86	1.04	37%	0.07	0.01	---	0.12	1.45	---	---	---	---	1.6	1.04	2.7

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
683749	0.25	1.85	8%	0.05	0.00	---	0.18	---	---	---	---	---	---	0.2	1.85	2.1
683849	0.61	3.94	9%	0.11	0.02	---	0.27	---	---	---	---	---	---	0.4	3.94	4.3
683949	2.02	5.79	8%	0.38	0.03	---	1.14	---	---	0.01	---	---	---	1.6	5.79	7.3
684049	0.10	0.73	8%	0.02	0.01	---	0.06	---	---	---	---	---	---	0.1	0.73	0.8
684149	0.02	0.47	7%	0.01	0.01	---	---	---	---	---	---	---	---	0.0	0.47	0.5
684249	0.59	4.39	8%	0.12	0.03	---	0.39	---	---	---	---	---	---	0.5	4.39	4.9
684349	1.30	1.50	17%	0.13	0.75	---	0.21	---	---	---	---	---	---	1.1	1.50	2.6
684449	1.45	5.28	8%	0.33	0.12	---	0.86	---	---	0.02	---	---	---	1.3	5.28	6.6
684549	0.50	4.27	8%	0.12	0.03	---	0.31	---	---	---	---	---	---	0.5	4.27	4.7
684649	0.04	0.40	7%	0.03	---	---	---	---	---	---	---	---	---	0.0	0.40	0.4
684749	0.23	0.95	7%	0.06	---	---	0.13	---	---	---	---	---	---	0.2	0.95	1.1
684849	0.01	0.09	7%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.09	0.1
684949	0.46	2.76	8%	0.11	0.02	---	0.29	---	---	---	---	---	---	0.4	2.76	3.2
685049	54.10	2.53	63%	1.03	0.39	2.65	0.86	1.23	---	29.93	---	---	---	36.1	2.53	38.6
685149	1.06	9.32	8%	0.41	0.21	---	0.28	---	---	---	---	---	---	0.9	9.32	10.2
685249	0.01	0.08	7%	0.01	---	---	0.00	---	---	---	---	---	---	0.0	0.08	0.1
685349	0.87	0.21	32%	0.04	0.00	---	0.04	0.61	---	---	---	---	---	0.7	0.21	0.9
685449	0.09	0.48	7%	0.03	---	---	0.04	---	---	---	---	---	---	0.1	0.48	0.6

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
685549	0.07	0.34	7%	0.02	0.00	---	0.03	---	---	0.00	---	---	0.1	0.34	0.4
685649	16.00	1.15	47%	0.36	0.17	---	0.38	8.20	---	12.95	---	---	22.1	1.15	23.2
685749	1.21	4.08	8%	0.27	0.02	---	0.73	---	---	---	---	---	1.0	4.08	5.1
685849	0.01	0.07	8%	0.01	---	---	0.00	---	---	---	---	---	0.0	0.07	0.1
685949	1.29	5.66	7%	0.42	0.04	---	0.61	---	---	0.03	---	---	1.1	5.66	6.7
686049	0.03	0.08	11%	0.01	---	---	0.00	0.01	---	---	---	---	0.0	0.08	0.1
686149	2.05	9.18	7%	0.75	0.06	---	0.88	---	---	0.04	---	---	1.7	9.18	10.9
686249	3.86	0.69	38%	0.09	0.02	---	0.22	1.28	---	---	---	---	1.6	0.69	2.3
686349	0.05	0.58	6%	0.04	---	---	---	---	---	---	---	---	0.0	0.58	0.6
686449	0.84	0.73	17%	0.06	0.00	---	0.17	0.13	---	---	---	---	0.4	0.73	1.1
686549	1.47	6.91	7%	0.50	0.05	---	0.68	---	---	---	---	---	1.2	6.91	8.1
686649	1.28	3.13	17%	0.11	0.02	---	0.35	0.37	---	---	---	---	0.8	3.13	4.0
686749	0.53	2.82	9%	0.09	0.08	---	0.34	---	---	---	---	---	0.5	2.82	3.3
686849	3.37	2.06	21%	0.25	0.01	---	0.13	1.56	---	---	---	---	1.9	2.06	4.0
686949	1.25	4.13	8%	0.27	0.04	---	0.73	---	---	---	---	---	1.0	4.13	5.2
687049	23.68	2.25	63%	0.96	---	3.16	0.10	0.29	---	2.15	---	---	6.7	2.25	8.9
687149	1.48	10.93	8%	0.68	0.17	---	0.40	---	---	---	---	---	1.2	10.93	12.2
687249	15.83	6.75	74%	0.37	1.02	0.03	0.27	2.89	---	12.30	---	---	16.9	6.75	23.6

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
687349	1.84	0.71	16%	0.09	---	0.00	0.01	0.15	---	1.06	---	---	1.3	0.71	2.0
687449	1.38	0.58	28%	0.05	---	0.09	0.18	0.18	---	0.16	---	---	0.7	0.58	1.2
687549	14.25	5.99	37%	0.33	0.07	0.00	0.78	2.85	---	8.63	---	---	12.7	5.99	18.6
687649	2.12	1.92	10%	0.13	0.05	---	0.48	---	---	1.43	---	---	2.1	1.92	4.0
687749	0.01	0.02	9%	0.00	---	---	0.01	---	---	---	---	---	0.0	0.02	0.0
687849	0.91	1.15	17%	0.06	0.01	---	0.08	0.55	---	0.05	---	---	0.8	1.15	1.9
687949	1.11	6.59	8%	0.22	0.07	---	0.76	---	---	---	---	---	1.0	6.59	7.6
688049	23.68	38.87	21%	1.79	0.07	1.64	2.60	0.01	---	0.17	---	---	6.3	38.87	45.2
688149	6.97	15.20	8%	0.55	0.05	---	1.69	---	0.03	4.06	---	0.00	6.4	15.20	21.6
688249	17.68	17.70	9%	0.73	0.02	0.08	2.12	---	---	13.90	---	---	16.9	17.70	34.6
688349	0.57	3.94	8%	0.13	0.03	---	0.33	---	---	0.00	---	---	0.5	3.94	4.4
688449	0.04	0.39	9%	0.03	---	---	0.01	---	---	---	---	---	0.0	0.39	0.4
Total	785.2	467.9	32%	40.2	18.5	28.4	41.5	173.6	92.9	191.0	16.4	6.3	608.8	467.9	1,076.7

Table 7A-24. Los Angeles, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
698149	11.87	0.00	95%	0.12	0.00	---	0.31	0.42	---	0.13	---	9.07	10.1	0.00	10.1
698249	16.93	---	95%	0.16	0.01	---	0.37	1.60	---	---	---	11.33	13.5	---	13.5
698349	33.22	---	84%	0.35	0.35	---	0.62	2.61	---	---	---	23.98	27.9	---	27.9
698449	0.24	1.09	9%	0.04	---	---	0.16	---	---	0.02	---	---	0.2	1.09	1.3
698549	14.82	---	95%	0.15	0.01	---	0.39	2.48	---	---	---	9.59	12.6	---	12.6
698649	6.94	---	90%	0.07	0.00	---	0.20	0.73	---	---	---	4.55	5.6	---	5.6
698749	8.27	---	96%	0.07	0.01	---	0.28	0.50	---	---	---	5.72	6.6	---	6.6
698849	5.11	---	95%	0.05	---	---	0.16	0.14	---	0.10	---	3.66	4.1	---	4.1
699049	10.70	---	79%	0.12	---	---	0.28	---	---	0.18	---	8.42	9.0	---	9.0
699149	1.42	3.37	16%	0.15	0.01	---	0.61	0.43	---	---	---	---	1.2	3.37	4.5
Total	109.5	4.5	84%	1.3	0.4	0.0	3.4	8.9	0.0	0.4	0.0	76.3	90.7	4.5	95.2

Table 7A-25. Los Angeles, Tujunga Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
666149	4.83	2.92	37%	0.16	0.04	0.13	0.23	2.12	---	---	---	---	2.7	2.92	5.6
666249	5.66	3.53	32%	0.17	0.02	---	0.35	2.60	---	---	---	---	3.1	3.53	6.7
666349	2.47	4.14	21%	0.16	0.14	0.02	0.26	0.78	---	---	---	---	1.4	4.14	5.5
666449	6.12	4.55	37%	0.25	0.03	---	0.69	2.67	---	0.00	---	---	3.6	4.55	8.2
666549	4.90	9.36	16%	0.49	0.01	0.58	0.82	0.51	---	0.65	---	---	3.1	9.36	12.4
666649	1.82	7.14	9%	0.33	0.03	0.28	0.71	---	---	0.26	---	---	1.6	7.14	8.8
666749	0.88	4.06	9%	0.17	0.08	---	0.29	---	---	0.01	---	---	0.6	4.06	4.6
666849	0.60	4.10	8%	0.28	---	---	0.13	---	---	---	---	---	0.4	4.10	4.5
666949	0.80	5.80	8%	0.46	0.04	---	0.00	---	---	0.01	---	---	0.5	5.80	6.3
667049	0.52	3.12	8%	0.18	---	---	0.20	---	---	---	---	---	0.4	3.12	3.5
667149	2.04	11.26	8%	0.44	0.06	---	1.09	---	---	---	---	---	1.6	11.26	12.9
667249	1.62	3.89	13%	0.22	0.34	---	0.46	---	---	0.00	---	---	1.0	3.89	4.9
667349	0.55	5.65	8%	0.40	---	---	0.03	---	---	---	---	---	0.4	5.65	6.1
667449	0.70	8.65	7%	0.34	0.04	---	0.17	---	---	0.04	---	---	0.6	8.65	9.2
667549	9.10	1.42	53%	0.17	0.01	0.10	0.41	---	---	5.79	---	---	6.5	1.42	7.9
667649	28.16	15.35	32%	1.06	0.12	0.07	2.08	17.06	---	2.12	---	---	22.5	15.35	37.9
667749	0.64	1.61	12%	0.08	---	0.14	0.29	---	---	---	---	---	0.5	1.61	2.1
667849	0.05	0.13	10%	0.02	---	---	0.00	0.01	---	---	---	---	0.0	0.13	0.2

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
667949	12.87	0.13	95%	0.02	---	9.35	0.00	0.18	---	---	---	---	---	9.6	0.13	9.7
668049	0.42	1.07	12%	0.05	---	0.07	0.19	---	---	---	---	---	---	0.3	1.07	1.4
668149	1.65	2.93	17%	0.19	0.05	0.65	0.24	---	---	---	---	---	---	1.1	2.93	4.1
668249	18.54	0.18	95%	0.39	0.04	7.31	0.07	0.61	2.02	0.32	---	---	---	10.8	0.18	11.0
668349	1.99	6.57	10%	0.28	0.00	0.04	1.13	---	---	---	---	---	---	1.5	6.57	8.0
668449	5.48	4.62	38%	0.24	0.06	---	0.68	2.94	---	---	---	---	---	3.9	4.62	8.5
668549	1.06	2.86	11%	0.39	0.04	0.12	0.30	---	---	---	---	---	---	0.9	2.86	3.7
668649	48.27	10.63	13%	2.05	0.51	0.07	1.66	---	---	29.40	---	---	---	33.7	10.63	44.3
668749	38.06	---	87%	0.75	0.02	0.23	1.97	16.68	---	---	---	---	10.38	30.0	---	30.0
668849	11.42	---	91%	0.20	0.06	---	0.50	4.73	---	---	---	---	3.37	8.9	---	8.9
668949	0.43	0.76	14%	0.08	---	0.09	0.18	---	---	---	---	---	---	0.3	0.76	1.1
669049	0.19	0.63	10%	0.06	---	---	0.10	---	---	---	---	---	---	0.2	0.63	0.8
669149	0.60	2.82	9%	0.13	0.01	---	0.37	---	---	0.01	---	---	---	0.5	2.82	3.3
669249	0.07	0.36	8%	0.01	---	---	0.04	---	---	---	---	---	---	0.1	0.36	0.4
669349	2.86	1.79	40%	0.12	---	---	0.31	1.72	---	0.01	---	---	---	2.2	1.79	3.9
669449	1.72	3.56	9%	0.23	0.06	---	0.23	---	---	1.02	---	---	---	1.5	3.56	5.1
669549	1.30	6.02	8%	0.41	0.03	---	0.54	---	---	0.02	---	---	---	1.0	6.02	7.0
669649	0.41	1.61	7%	0.08	0.01	---	0.15	---	---	0.09	---	---	---	0.3	1.61	1.9
669749	0.87	2.00	11%	0.20	0.01	---	0.26	0.08	0.11	0.08	---	---	---	0.7	2.00	2.8

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
669849	0.07	0.02	8%	0.00	---	---	0.00	---	0.60	0.02	---	---	0.6	0.02	0.6
669949	0.13	0.65	8%	0.10	---	---	0.00	---	---	0.00	---	---	0.1	0.65	0.8
670049	5.82	0.02	84%	0.10	---	1.53	0.30	---	---	0.01	---	---	2.0	0.02	2.0
670149	0.68	2.25	8%	0.11	0.00	---	0.31	---	---	---	---	---	0.4	2.25	2.7
670249	1.81	4.96	9%	0.28	0.01	---	0.66	---	---	0.42	---	---	1.4	4.96	6.3
670349	0.96	1.09	10%	0.07	0.07	0.02	0.00	---	---	0.69	---	---	0.9	1.09	1.9
670449	6.27	1.81	9%	0.15	0.01	0.00	0.14	---	---	5.40	---	---	5.7	1.81	7.5
670549	0.17	0.00	96%	0.01	---	---	---	---	---	0.15	---	---	0.2	0.00	0.2
670649	1.25	0.80	11%	0.08	---	---	0.15	---	---	0.87	---	---	1.1	0.80	1.9
670749	2.70	0.42	7%	0.03	---	---	0.02	---	---	2.42	---	---	2.5	0.42	2.9
670849	3.41	0.23	15%	0.05	---	---	0.04	---	---	3.02	---	---	3.1	0.23	3.3
670949	0.36	0.00	87%	0.01	---	---	---	---	---	0.32	---	---	0.3	0.00	0.3
671049	2.14	4.29	18%	0.32	---	0.89	0.38	---	---	0.00	---	---	1.6	4.29	5.9
671149	0.73	2.24	10%	0.09	---	---	0.42	---	---	---	---	---	0.5	2.24	2.8
671349	0.01	0.03	9%	0.00	---	---	0.00	0.00	---	---	---	---	0.0	0.03	0.0
671449	0.97	4.17	10%	0.30	---	---	0.42	---	---	---	---	---	0.7	4.17	4.9
671549	0.04	0.10	18%	0.01	---	---	0.03	---	---	---	---	---	0.0	0.10	0.1
671649	0.25	0.75	11%	0.03	---	---	0.14	---	---	---	---	---	0.2	0.75	0.9
671749	0.21	0.61	10%	0.02	---	---	0.11	---	---	---	---	---	0.1	0.61	0.8

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
671849	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
671949	0.09	0.25	11%	0.01	---	---	0.05	---	---	---	---	---	---	0.1	0.25	0.3
672649	14.30	0.30	90%	0.67	---	9.85	0.07	---	---	0.58	0.00	---	---	11.2	0.30	11.5
672749	1.56	3.77	11%	0.57	0.12	0.42	0.13	---	---	0.02	0.00	---	---	1.3	3.77	5.0
672849	0.02	0.03	21%	0.00	---	---	0.00	0.01	---	---	---	---	---	0.0	0.03	0.0
672949	0.10	0.36	9%	0.02	0.00	---	0.07	---	---	---	---	---	---	0.1	0.36	0.4
673049	0.06	0.34	8%	0.02	0.00	---	0.03	---	---	---	---	---	---	0.1	0.34	0.4
673149	0.05	0.16	9%	0.01	---	---	0.03	---	---	---	---	---	---	0.0	0.16	0.2
673349	0.06	0.30	10%	0.01	---	---	0.04	---	---	---	---	---	---	0.0	0.30	0.4
673449	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
673549	1.09	2.29	10%	0.18	---	---	0.64	---	---	0.02	---	0.21	---	1.1	2.29	3.3
673649	0.00	0.00	91%	0.00	---	---	---	---	---	0.00	---	0.00	---	0.0	0.00	0.0
673849	0.34	1.45	8%	0.09	---	---	0.20	---	---	---	---	---	---	0.3	1.45	1.7
673949	0.04	0.10	10%	0.01	---	---	0.00	0.02	---	---	---	---	---	0.0	0.10	0.1
674049	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
674149	0.01	0.04	8%	0.00	---	---	0.00	---	---	---	---	---	---	0.0	0.04	0.1
675249	1.78	7.54	11%	0.26	0.01	0.00	0.71	---	---	0.60	---	---	---	1.6	7.54	9.1
675349	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
675449	0.00	0.01	6%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
675549	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
675649	6.69	1.24	68%	0.10	0.02	0.09	0.20	---	---	4.55	---	---	---	5.0	1.24	6.2
675749	0.92	3.48	11%	0.12	0.01	---	0.44	---	---	0.15	---	---	---	0.7	3.48	4.2
675849	0.01	0.13	9%	0.01	---	---	0.00	---	---	0.00	---	---	---	0.0	0.13	0.1
675949	0.59	3.94	9%	0.12	0.00	0.02	0.32	---	---	0.00	---	---	---	0.5	3.94	4.4
676049	1.35	2.37	18%	0.08	0.00	0.76	0.10	---	---	0.08	---	---	---	1.0	2.37	3.4
676149	5.83	0.92	68%	0.11	0.00	0.44	0.40	---	---	1.40	---	---	---	2.4	0.92	3.3
676249	2.44	0.75	17%	0.03	---	---	0.11	---	---	2.74	---	---	---	2.9	0.75	3.6
676349	2.08	5.74	9%	0.18	0.04	---	0.47	---	---	1.45	---	---	---	2.1	5.74	7.9
676449	0.51	5.55	8%	0.17	0.03	---	0.17	---	---	0.01	---	---	---	0.4	5.55	5.9
676549	0.57	4.70	8%	0.15	0.01	---	0.32	---	---	---	---	---	---	0.5	4.70	5.2
676649	0.12	0.60	10%	0.03	---	---	0.06	---	---	---	---	---	---	0.1	0.60	0.7
676749	0.02	0.09	11%	0.00	---	---	0.01	0.00	---	---	---	---	---	0.0	0.09	0.1
676949	0.04	0.24	10%	0.01	---	---	0.02	---	---	---	---	---	---	0.0	0.24	0.3
Total	288.3	216.4	32%	16.0	2.2	33.3	24.9	52.7	2.7	64.8	0.0	14.0	210.6	216.4	427.0	

Table 7A-26. Los Angeles, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
651349	0.01	0.11	8%	0.01	---	---	---	---	---	---	---	---	0.0	0.11	0.1
656749	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
656949	0.33	0.44	22%	0.02	---	---	0.05	0.18	---	---	---	---	0.2	0.44	0.7
657049	0.15	0.67	10%	0.03	0.00	---	0.09	---	---	---	---	---	0.1	0.67	0.8
657149	0.87	0.86	21%	0.04	0.00	---	0.12	0.43	---	---	---	---	0.6	0.86	1.5
657349	9.25	---	58%	0.14	0.00	---	0.39	---	---	---	6.15	---	6.7	---	6.7
657449	0.05	0.38	10%	0.01	---	---	0.02	---	---	---	---	---	0.0	0.38	0.4
Total	10.7	2.5	41%	0.3	0.0	0.0	0.7	0.6	0.0	0.0	0.0	6.2	7.7	2.5	10.1

Table 7A-27. Montebello, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
610755	---	0.05	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.05	0.1
610855	0.34	2.30	9%	0.27	---	---	---	---	---	---	---	---	---	0.3	2.30	2.6
610955	0.82	0.76	8%	0.04	---	---	0.04	---	---	1.09	0.04	---	---	1.2	0.76	2.0
611055	2.70	3.78	16%	0.50	---	0.01	0.02	1.30	---	---	0.12	0.00	---	1.9	3.78	5.7
611155	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
611255	13.46	---	90%	0.50	---	0.03	0.02	1.29	---	---	---	7.73	---	9.6	---	9.6
611355	0.95	0.22	53%	0.03	---	---	0.01	0.50	---	---	---	---	---	0.5	0.22	0.8
611455	2.88	0.35	42%	0.07	---	---	0.20	1.73	---	---	---	---	---	2.0	0.35	2.4
611555	17.42	0.00	89%	0.32	---	0.65	0.31	2.51	---	3.95	0.46	4.86	---	13.1	0.00	13.1
611655	2.88	1.90	27%	0.31	---	0.25	0.05	1.10	---	0.04	0.00	0.00	---	1.8	1.90	3.7
611855	19.96	0.17	95%	0.31	---	1.81	0.16	6.89	---	4.67	2.16	1.56	---	17.6	0.17	17.7
611955	8.10	0.73	74%	0.20	---	0.68	0.16	0.00	---	2.00	0.60	0.00	---	3.7	0.73	4.4
612055	2.47	0.35	49%	0.05	---	0.11	0.03	1.24	---	0.11	0.21	0.03	---	1.8	0.35	2.1
612155	10.44	0.68	79%	0.19	---	0.35	0.33	---	---	3.71	0.63	0.08	---	5.3	0.68	6.0
612255	1.29	0.27	48%	0.03	---	---	0.06	0.66	---	0.00	0.29	0.04	---	1.1	0.27	1.3
612655	3.76	1.65	42%	0.22	---	0.31	0.01	1.26	---	0.83	0.00	0.00	---	2.6	1.65	4.3

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
612755	22.10	5.11	53%	0.49	---	1.57	1.02	4.76	---	6.22	3.46	0.18	17.7	5.11	22.8
612855	5.53	0.05	90%	0.10	---	0.16	0.11	1.75	---	0.00	0.20	2.71	5.0	0.05	5.1
612955	2.11	0.20	68%	0.04	---	---	0.12	1.42	---	---	0.00	---	1.6	0.20	1.8
613055	3.17	0.74	37%	0.08	---	1.38	0.31	0.58	---	0.00	0.12	---	2.5	0.74	3.2
613155	4.95	2.88	16%	0.25	---	0.12	0.55	0.46	---	0.32	0.01	1.90	3.6	2.88	6.5
613255	0.18	1.34	16%	0.10	---	---	0.00	0.16	---	0.00	---	---	0.3	1.34	1.6
613655	1.52	5.88	21%	0.27	---	---	0.07	1.88	---	0.00	---	---	2.2	5.88	8.1
Total	127.0	29.4	59%	4.4	0.0	7.4	3.6	29.5	0.0	22.9	8.3	19.1	95.2	29.4	124.6

Table 7A-28. Monterey Park, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
635556	0.01	0.02	6%	0.00	---	---	---	---	---	0.00	0.02	---	0.0	0.02	0.0
635656	0.57	0.16	34%	0.02	---	0.00	---	---	---	0.31	0.00	---	0.3	0.16	0.5
635756	1.09	1.23	7%	0.09	---	---	---	---	---	0.22	0.03	---	0.3	1.23	1.6
635856	0.04	0.40	7%	0.03	---	---	---	---	---	0.01	---	---	0.0	0.40	0.4
637456	0.10	0.00	43%	0.00	---	0.01	---	0.03	---	0.00	0.04	---	0.1	0.00	0.1
637556	5.34	2.26	47%	0.39	0.04	---	---	2.61	---	0.68	---	---	3.7	2.26	6.0
639756	0.07	0.01	42%	0.00	---	---	---	0.03	---	0.00	0.10	---	0.1	0.01	0.1
Total	7.2	4.1	32%	0.5	0.0	0.0	0.0	2.7	0.0	1.2	0.2	0.0	4.7	4.1	8.7

Table 7A-29. Monterey Park, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
612156	18.02	7.69	32%	0.68	0.40	0.10	---	1.53	---	13.98	0.00	0.00	16.7	7.69	24.4
612256	50.76	0.00	95%	0.64	---	0.02	---	9.71	---	0.01	11.21	21.55	43.1	0.00	43.2
612356	6.92	0.44	90%	0.12	---	---	---	1.53	---	0.59	0.00	2.70	4.9	0.44	5.4
612456	0.65	0.23	31%	0.02	---	---	---	0.47	0.00	0.00	---	---	0.5	0.23	0.7
612756	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
613156	0.01	0.00	90%	0.00	---	---	---	---	---	0.00	---	0.00	0.0	0.00	0.0
613656	0.56	1.18	33%	0.05	---	---	---	0.89	---	0.00	---	---	0.9	1.18	2.1
613756	1.50	0.13	82%	0.11	---	---	---	---	---	1.41	---	---	1.5	0.13	1.6
613956	11.95	2.52	42%	0.35	---	0.13	---	5.97	0.06	0.48	0.00	0.00	7.0	2.52	9.5
614556	13.45	0.32	95%	0.16	---	---	---	2.56	1.73	0.90	---	6.10	11.4	0.32	11.8
614656	1.57	0.43	31%	0.05	---	---	---	1.07	---	---	---	---	1.1	0.43	1.6
Total	105.4	12.9	59%	2.2	0.4	0.3	0.0	23.7	1.8	17.4	11.2	30.4	87.3	12.9	100.3

Table 7A-30. Pasadena, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
640861	0.57	0.00	67%	0.01	---	---	0.03	0.03	---	0.47	---	---	0.5	0.00	0.5	
641061	1.21	0.00	37%	0.02	---	---	0.07	0.12	---	0.94	---	---	1.2	0.00	1.2	
641561	0.13	0.02	9%	0.01	0.00	---	0.02	---	0.01	0.13	---	---	0.2	0.02	0.2	
641661	0.27	0.04	10%	0.13	0.00	0.01	0.54	---	---	0.01	---	---	0.7	0.04	0.7	
641761	0.08	0.03	7%	0.03	---	---	0.04	---	---	0.00	---	---	0.1	0.03	0.1	
641861	0.14	0.02	9%	0.03	---	---	0.10	---	---	---	---	---	0.1	0.02	0.1	
641961	0.14	0.44	7%	0.03	---	---	0.06	---	---	0.01	---	---	0.1	0.44	0.5	
642061	0.50	0.55	7%	0.07	---	0.00	0.09	---	---	0.01	---	---	0.2	0.55	0.7	
642161	0.17	0.20	10%	0.03	---	---	0.12	---	---	0.00	---	---	0.1	0.20	0.3	
642261	28.64	3.76	48%	0.69	---	2.68	1.14	---	---	8.86	---	---	13.4	3.76	17.1	
642461	0.08	0.31	7%	0.04	---	---	0.02	---	---	---	---	---	0.1	0.31	0.4	
642561	0.46	0.73	9%	0.09	---	0.01	0.27	---	---	0.00	---	---	0.4	0.73	1.1	
642661	0.45	0.11	19%	0.02	---	0.04	0.04	---	---	0.67	---	---	0.8	0.11	0.9	
642761	0.14	0.20	10%	0.01	---	0.03	0.05	---	---	---	---	---	0.1	0.20	0.3	
642861	2.52	0.01	90%	0.03	---	0.49	0.02	0.02	---	0.61	---	---	1.2	0.01	1.2	
642961	11.60	1.05	67%	0.46	---	7.10	0.10	---	---	0.00	---	---	7.7	1.05	8.7	
643061	0.00	0.00	57%	0.00	---	0.00	0.00	---	---	---	---	---	0.0	0.00	0.0	

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
643161	0.00	0.00	5%	---	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0
643361	0.00	0.00	15%	0.00	---	---	0.00	---	---	0.00	---	---	0.0	0.00	0.0
643661	0.59	0.02	79%	0.00	---	0.30	0.01	0.01	---	0.00	---	---	0.3	0.02	0.3
643961	0.00	0.02	6%	0.00	---	---	---	---	---	---	---	---	0.0	0.02	0.0
644161	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
644361	0.00	0.01	5%	0.00	---	---	---	---	---	---	---	---	0.0	0.01	0.0
644961	0.00	0.04	9%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.04	0.0
645161	0.00	0.00	18%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0
645361	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
645461	0.00	0.00	5%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
645561	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
645661	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
645961	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	47.7	7.6	39%	1.7	0.0	10.7	2.7	0.2	0.0	11.7	0.0	0.0	27.0	7.6	34.6

Table 7A-31. Pasadena, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
636461	1.22	0.30	47%	0.02	---	---	0.04	0.69	0.00	0.01	---	---	0.8	0.30	1.1
648161	0.15	0.64	10%	0.05	---	---	0.12	0.00	---	0.00	---	---	0.2	0.64	0.8
648761	0.00	0.00	79%	0.00	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0
649061	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	1.4	0.9	32%	0.1	0.0	0.0	0.2	0.7	0.0	0.0	0.0	0.0	0.9	0.9	1.9

Table 7A-32. Pasadena, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
615961	0.07	0.04	19%	0.00	---	---	0.00	0.02	0.64	---	---	---	0.7	0.04	0.7
616061	67.10	0.74	89%	0.84	---	1.25	0.23	12.68	---	25.59	---	14.19	54.8	0.74	55.5
616461	4.94	0.61	47%	0.10	---	0.01	0.04	2.37	0.04	0.01	---	0.51	3.1	0.61	3.7
616561	2.67	1.43	31%	0.11	---	---	0.00	1.76	---	0.00	---	0.03	1.9	1.43	3.3
616661	0.17	0.02	68%	0.00	---	---	0.01	0.09	0.04	---	---	---	0.1	0.02	0.2
616761	0.55	0.16	41%	0.01	---	---	0.03	0.36	0.04	---	---	---	0.4	0.16	0.6
616861	32.72	0.09	90%	0.39	---	0.10	0.17	7.73	13.61	0.04	---	13.58	35.6	0.09	35.7
616961	20.16	0.61	79%	0.24	---	1.42	0.33	1.88	0.01	2.24	---	0.00	6.1	0.61	6.7
619561	6.49	0.75	43%	0.17	---	---	0.30	4.32	---	---	---	---	4.8	0.75	5.5
619661	7.08	0.50	58%	0.15	---	0.04	0.27	4.42	---	0.72	0.00	---	5.6	0.50	6.1
619761	11.28	2.47	37%	0.33	---	0.06	0.53	6.84	---	0.59	---	---	8.4	2.47	10.8
619861	10.13	---	89%	0.12	---	---	0.01	2.52	---	0.00	---	4.26	6.9	---	6.9
619961	1.22	0.14	50%	0.03	---	---	0.04	0.86	---	---	---	---	0.9	0.14	1.1
620061	2.34	0.66	32%	0.08	---	0.01	0.12	1.32	---	0.64	---	---	2.2	0.66	2.8
620161	9.58	5.21	42%	0.29	---	0.07	0.80	0.98	---	2.99	---	---	5.1	5.21	10.3
620261	28.61	6.56	42%	0.73	---	0.36	1.19	10.67	---	4.34	---	---	17.3	6.56	23.9

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
622961	0.57	0.02	32%	0.02	---	---	---	0.04	---	0.31	0.03	---	0.4	0.02	0.4
623061	10.62	0.17	47%	0.25	---	0.03	0.36	4.67	---	0.56	1.86	---	7.7	0.17	7.9
623161	0.65	0.09	60%	0.01	---	---	0.04	0.38	---	---	0.03	---	0.5	0.09	0.5
623261	3.11	0.06	74%	0.05	---	0.06	0.20	1.33	---	0.25	0.65	---	2.5	0.06	2.6
623361	2.47	0.15	37%	0.07	---	---	0.15	1.14	---	0.29	0.27	---	1.9	0.15	2.1
624161	1.63	0.82	21%	0.11	---	---	0.00	0.46	---	0.56	0.00	---	1.1	0.82	1.9
624261	0.28	0.15	10%	0.01	---	---	0.02	---	---	0.12	---	---	0.1	0.15	0.3
624361	0.04	0.12	11%	0.01	---	---	0.03	---	---	0.00	---	---	0.0	0.12	0.2
624461	6.59	0.90	42%	0.18	---	0.06	0.19	3.56	---	1.06	---	---	5.0	0.90	5.9
624561	1.13	0.44	31%	0.04	---	---	0.03	0.61	---	0.03	---	---	0.7	0.44	1.1
624661	0.11	0.30	10%	0.01	---	---	0.06	---	---	0.04	---	---	0.1	0.30	0.4
624761	7.70	1.43	42%	0.24	---	0.15	0.32	4.58	---	0.79	---	---	6.1	1.43	7.5
624861	9.02	0.01	68%	0.18	---	0.00	0.59	2.31	---	2.50	0.00	---	5.6	0.01	5.6
624961	0.69	0.02	79%	0.02	---	0.21	0.03	0.24	---	0.01	---	---	0.5	0.02	0.5
625061	4.12	0.40	63%	0.10	---	0.21	0.36	---	---	0.94	0.18	---	1.8	0.40	2.2
625161	0.03	0.60	8%	0.03	---	---	0.00	---	---	---	---	---	0.0	0.60	0.6
625261	0.02	0.45	10%	0.02	---	---	0.01	0.01	---	0.00	---	---	0.0	0.45	0.5
625361	3.43	1.32	31%	0.24	---	1.87	0.07	---	---	1.76	---	---	3.9	1.32	5.3

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
625461	1.02	0.11	48%	0.03	---	0.02	0.03	0.65	---	0.00	---	---	0.7	0.11	0.8
625561	1.88	0.06	79%	0.02	---	3.29	---	---	---	0.00	---	---	3.3	0.06	3.4
625661	0.10	0.19	7%	0.00	---	0.00	---	---	---	0.01	---	---	0.0	0.19	0.2
625761	0.04	0.00	72%	---	---	0.02	---	---	---	---	---	---	0.0	0.00	0.0
625861	0.84	0.06	65%	0.01	---	---	0.05	0.44	---	---	---	---	0.5	0.06	0.6
625961	0.19	0.02	42%	0.01	---	---	---	0.10	---	---	0.03	---	0.1	0.02	0.2
626061	0.06	0.48	10%	0.01	---	---	0.02	---	---	0.00	---	---	0.0	0.48	0.5
626161	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
629161	0.05	0.36	9%	0.01	---	---	0.04	---	---	---	0.00	---	0.0	0.36	0.4
Total	261.5	28.7	59%	5.2	0.0	9.2	6.7	79.3	14.4	46.4	3.1	32.6	196.8	28.7	225.6

Table 7A-33. Rosemead, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
613268	0.05	0.13	16%	0.00	---	---	0.00	0.03	---	---	---	---	0.0	0.13	0.2
613568	0.56	1.08	16%	0.05	---	---	0.03	0.32	---	---	---	---	0.4	1.08	1.5
613668	0.44	2.06	11%	0.08	---	---	0.05	0.19	---	---	---	---	0.3	2.06	2.4
613868	0.02	0.04	16%	0.00	---	---	---	0.01	---	---	---	---	0.0	0.04	0.1
613968	1.90	0.89	26%	0.08	---	---	0.09	1.20	---	---	---	---	1.4	0.89	2.3
614068	2.92	1.20	31%	0.08	---	0.04	0.09	1.45	---	0.11	---	---	1.8	1.20	3.0
614168	2.24	0.68	32%	0.08	---	---	0.11	1.44	---	---	---	---	1.6	0.68	2.3
614268	0.25	1.60	8%	0.07	---	0.05	0.09	---	---	---	---	---	0.2	1.60	1.8
614468	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
614568	7.43	1.14	53%	0.17	---	0.11	0.17	1.87	---	1.96	---	---	4.3	1.14	5.4
614668	4.45	1.38	32%	0.17	---	---	0.15	2.89	---	---	---	---	3.2	1.38	4.6
617068	2.42	---	84%	0.03	---	---	---	0.12	---	---	---	1.58	1.7	---	1.7
617168	0.00	0.01	8%	0.00	---	---	---	---	---	---	---	---	0.0	0.01	0.0
617268	8.41	---	90%	0.17	---	---	0.15	2.33	---	---	---	2.92	5.6	---	5.6
617368	0.12	0.51	10%	0.06	---	---	---	0.02	---	---	---	---	0.1	0.51	0.6
617468	15.18	---	90%	0.24	---	---	0.45	5.28	---	---	---	4.74	10.7	---	10.7

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
617568	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
617668	---	0.02	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.02	0.0
617768	9.08	---	90%	0.14	---	---	0.33	2.03	---	---	---	---	3.57	6.1	---	6.1
617968	1.35	0.21	53%	0.03	---	---	0.10	0.70	---	---	---	---	---	0.8	0.21	1.0
618068	7.69	---	90%	0.11	---	---	0.24	1.89	---	---	---	---	3.23	5.5	---	5.5
618168	0.27	1.14	10%	0.05	---	0.03	0.15	---	---	---	---	---	---	0.2	1.14	1.4
618268	7.52	---	95%	0.11	---	0.15	0.23	2.69	---	---	---	---	2.12	5.3	---	5.3
618368	0.00	0.01	11%	0.00	---	0.00	0.00	---	---	---	---	---	---	0.0	0.01	0.0
618468	0.07	0.01	67%	0.00	---	0.05	0.00	---	---	---	---	---	---	0.1	0.01	0.1
618568	0.00	0.00	17%	0.00	---	0.00	0.00	---	---	---	---	---	---	0.0	0.00	0.0
618668	1.11	0.32	22%	0.05	---	0.12	0.01	0.00	---	0.63	---	---	0.25	1.1	0.32	1.4
621268	0.05	0.20	10%	0.01	---	---	0.04	---	---	---	---	---	---	0.0	0.20	0.2
621368	18.09	---	85%	0.29	---	---	0.46	4.11	---	---	---	---	9.53	14.4	---	14.4
621468	0.30	1.36	10%	0.06	---	---	0.20	---	---	---	---	---	---	0.3	1.36	1.6
621968	0.10	0.08	21%	0.01	---	---	0.00	0.06	---	---	---	---	---	0.1	0.08	0.2
Total	92.0	14.1	59%	2.1	0.0	0.6	3.1	28.6	0.0	2.7	0.0	27.9	65.1	14.1	79.2	

Table 7A-34. San Fernando, Tujunga Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
Ordinance				Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private					
668670	0.53	0.47	8%	0.07	---	---	---	---	---	0.30	---	---	---	0.4	0.47	0.8
669170	0.93	2.39	11%	0.13	---	0.07	0.20	---	---	0.32	---	---	---	0.7	2.39	3.1
669270	0.25	1.74	9%	0.07	---	0.26	0.05	---	0.01	0.00	---	---	---	0.4	1.74	2.1
669370	0.07	0.15	11%	0.01	---	---	0.01	0.03	---	0.00	---	---	---	0.0	0.15	0.2
669770	1.25	0.79	9%	0.06	---	---	0.08	---	1.22	0.43	---	---	---	1.8	0.79	2.6
669870	16.45	1.07	84%	0.38	---	0.34	0.53	---	12.09	0.29	---	---	---	13.6	1.07	14.7
669970	0.65	2.53	9%	0.35	---	0.00	0.16	---	0.07	0.00	---	---	---	0.6	2.53	3.1
670070	0.80	2.61	9%	0.13	---	0.01	0.43	---	---	0.05	---	---	---	0.6	2.61	3.2
670170	0.05	0.21	7%	0.01	---	---	0.02	---	---	---	---	---	---	0.0	0.21	0.2
670270	0.01	0.03	8%	0.00	---	---	0.00	---	---	---	---	---	---	0.0	0.03	0.0
Total	21.0	12.0	33%	1.2	0.0	0.7	1.5	0.0	13.4	1.4	0.0	0.0	0.0	18.2	12.0	30.2

Table 7A-35. San Gabriel, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
614271	2.81	---	90%	0.04	---	---	0.05	0.66	---	---	---	1.50	2.3	---	2.3
614371	10.93	---	90%	0.16	---	0.00	0.27	4.00	---	---	---	4.40	8.8	---	8.8
614471	7.43	---	79%	0.11	---	0.02	0.03	1.69	---	---	---	3.68	5.5	---	5.5
614571	0.07	0.01	92%	0.00	---	---	0.00	---	---	0.09	---	---	0.1	0.01	0.1
614771	2.07	0.40	31%	0.07	---	0.18	0.15	0.25	---	0.87	---	---	1.5	0.40	1.9
614871	3.54	0.00	95%	0.04	---	0.04	0.16	---	---	1.66	---	---	1.9	0.00	1.9
614971	0.30	0.69	10%	0.02	---	---	0.09	---	---	0.56	---	---	0.7	0.69	1.4
615071	1.00	0.68	22%	0.05	---	---	---	0.67	---	---	---	---	0.7	0.68	1.4
615271	0.02	0.05	15%	0.00	---	---	0.01	---	---	0.01	---	---	0.0	0.05	0.1
616171	6.78	---	90%	0.09	---	0.00	0.07	1.59	---	---	---	2.71	4.5	---	4.5
616371	2.40	0.22	64%	0.05	---	0.01	0.18	1.18	---	---	---	---	1.4	0.22	1.6
616671	1.13	0.08	53%	0.02	---	0.02	0.09	0.59	---	---	---	---	0.7	0.08	0.8
618071	0.44	0.03	66%	0.01	---	---	0.03	0.30	---	---	---	---	0.3	0.03	0.4
618171	0.28	0.06	26%	0.01	---	---	0.03	0.18	---	---	---	---	0.2	0.06	0.3
618271	0.39	0.09	26%	0.02	---	---	0.03	0.26	---	---	---	---	0.3	0.09	0.4
618371	0.32	1.73	9%	0.05	---	---	0.20	---	---	---	---	---	0.3	1.73	2.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
618471	5.24	0.72	59%	0.10	---	0.03	0.30	3.53	---	---	---	---	3.9	0.72	4.7
618571	8.20	1.13	53%	0.20	---	0.16	0.17	3.67	---	1.46	---	---	5.7	1.13	6.8
618671	3.76	1.20	42%	0.14	---	0.05	0.08	1.79	---	0.81	---	0.09	3.0	1.20	4.2
618771	1.94	0.34	42%	0.05	---	---	0.09	1.22	---	0.12	---	0.00	1.5	0.34	1.8
618871	8.31	0.04	84%	0.11	---	---	0.08	1.95	---	0.50	---	3.84	6.5	0.04	6.5
618971	5.02	0.64	59%	0.09	---	---	0.32	2.79	---	---	---	---	3.2	0.64	3.8
619071	0.38	1.94	9%	0.06	---	0.01	0.22	---	---	0.00	---	---	0.3	1.94	2.2
619171	0.30	1.32	10%	0.05	---	---	0.17	---	---	---	---	---	0.2	1.32	1.5
621371	0.02	0.01	28%	0.00	---	---	0.00	0.01	---	---	---	---	0.0	0.01	0.0
622271	0.65	0.40	27%	0.03	---	---	0.02	0.41	---	0.00	---	---	0.5	0.40	0.9
623471	0.32	0.11	27%	0.01	---	---	0.00	0.24	---	0.00	---	---	0.3	0.11	0.4
623671	0.01	0.01	13%	0.00	---	---	0.00	0.00	---	---	---	---	0.0	0.01	0.0
Total	74.1	11.9	59%	1.6	0.0	0.5	2.8	27.0	0.0	6.1	0.0	16.2	54.2	11.9	66.1

Table 7A-36. San Marino, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
615872	2.40	0.13	69%	0.03	---	---	0.12	1.20	1.95	---	---	---	3.3	0.13	3.4
615972	2.15	0.13	69%	0.03	---	---	0.11	1.10	1.01	---	---	---	2.3	0.13	2.4
616372	10.91	0.00	90%	0.12	---	---	0.34	2.73	0.00	---	---	3.98	7.2	0.00	7.2
616472	0.14	0.13	21%	0.00	---	---	0.00	0.09	0.03	---	---	---	0.1	0.13	0.3
616572	0.14	2.92	7%	0.11	---	---	0.00	---	---	---	---	---	0.1	2.92	3.0
616672	10.56	1.10	69%	0.10	---	0.07	0.31	5.36	22.96	---	---	---	28.8	1.10	29.9
616772	0.11	0.01	75%	0.00	---	---	0.00	0.06	---	---	---	---	0.1	0.01	0.1
616872	0.64	0.08	13%	0.00	---	---	0.00	---	9.66	---	---	---	9.7	0.08	9.7
616972	1.26	0.10	63%	0.02	---	---	0.07	0.66	0.00	---	---	---	0.7	0.10	0.8
619072	4.02	0.54	53%	0.10	---	---	0.40	2.46	---	---	---	---	3.0	0.54	3.5
619172	0.03	0.10	15%	0.00	---	---	0.02	---	---	---	---	---	0.0	0.10	0.1
619272	1.91	0.16	55%	0.04	---	---	0.19	1.06	---	0.00	---	---	1.3	0.16	1.5
619372	1.22	0.28	38%	0.03	---	---	0.10	0.70	---	0.00	---	---	0.8	0.28	1.1
619472	2.35	0.55	54%	0.04	---	---	0.12	1.48	---	---	---	---	1.6	0.55	2.2
619572	4.50	0.65	53%	0.09	---	---	0.17	3.09	---	0.00	---	---	3.4	0.65	4.0
619772	0.70	0.06	65%	0.01	---	---	0.03	0.42	---	---	---	---	0.5	0.06	0.5

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
623972	0.50	0.09	31%	0.02	---	---	0.04	0.30	---	0.00	---	---	0.4	0.09	0.4
624272	1.72	0.12	53%	0.03	---	---	0.11	1.13	---	0.04	---	---	1.3	0.12	1.4
Total	45.3	7.2	59%	0.8	0.0	0.1	2.1	21.8	35.6	0.0	0.0	4.0	64.4	7.2	71.6

Table 7A-37. South El Monte, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
613278	0.36	4.92	9%	0.21	0.04	---	0.05	---	---	---	---	---	---	0.3	4.92	5.2
613378	1.93	4.85	15%	0.27	0.35	0.61	0.28	---	---	---	---	---	---	1.5	4.85	6.4
613478	11.58	1.94	63%	0.33	0.01	1.22	0.21	1.62	---	5.33	---	---	---	8.7	1.94	10.7
617078	0.07	0.89	8%	0.05	---	---	---	---	---	---	---	---	---	0.0	0.89	0.9
617178	41.19	---	90%	0.84	0.34	0.04	0.19	3.63	---	0.91	---	21.86	27.8	---	27.8	---
617578	0.44	0.35	22%	0.02	---	---	0.00	0.33	---	---	---	---	---	0.3	0.35	0.7
617678	0.01	0.03	8%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.03	0.0
617778	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
617978	0.00	0.01	10%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0
Total	55.6	13.0	59%	1.7	0.7	1.9	0.7	5.6	0.0	6.2	0.0	21.9	38.7	13.0	51.7	

Table 7A-38. South El Monte, San Gabriel River: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2026	For Bacteria by 2040	For Metals Attainment by 2026											For Bacteria Attainment by 2040	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
515578	8.34	--	79%	0.17	---	0.49	0.11	1.66	---	---	1.72	1.41	5.6	---	5.6
515678	0.38	0.61	14%	0.03	---	0.00	0.08	0.17	0.24	---	---	---	0.5	0.61	1.1
Total	8.7	0.6	64%	0.2	0.0	0.5	0.2	1.8	0.2	0.0	1.7	1.4	6.1	0.6	6.7

Table 7A-39. South Pasadena, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
640780	0.00	0.00	18%	0.00	---	---	0.00	---	---	0.00	---	---	0.0	0.00	0.0
640980	0.11	0.00	50%	0.01	0.09	---	---	---	---	---	---	---	0.1	0.00	0.1
641280	1.87	0.01	46%	0.05	---	---	0.05	1.33	---	0.00	---	---	1.4	0.01	1.4
641380	1.92	0.03	36%	0.09	---	---	0.11	1.66	---	0.01	---	---	1.9	0.03	1.9
641480	0.68	0.00	40%	0.05	---	0.02	0.07	0.53	---	0.50	---	---	1.2	0.00	1.2
641580	0.71	0.00	36%	0.04	---	0.19	0.10	---	0.12	0.12	---	---	0.6	0.00	0.6
Total	5.3	0.0	40%	0.2	0.1	0.2	0.3	3.5	0.1	0.6	0.0	0.0	5.1	0.0	5.2

Table 7A-40. South Pasadena, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
636280	2.08	1.74	26%	0.19	---	0.00	0.58	1.03	---	1.60	---	0.00	3.4	1.74	5.1
636480	15.10	4.69	36%	0.43	---	0.04	0.74	6.92	0.05	4.52	---	0.65	13.3	4.69	18.0
639580	2.57	0.18	35%	0.03	---	---	0.13	0.02	---	3.60	---	---	3.8	0.18	4.0
Total	19.8	6.6	34%	0.6	0.0	0.0	1.4	8.0	0.0	9.7	0.0	0.6	20.5	6.6	27.1

Table 7A-41. South Pasadena, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
615880	1.32	0.09	70%	0.02	---	---	0.03	0.69	2.81	0.02	---	---	3.6	0.09	3.7
615980	3.72	0.28	61%	0.07	---	---	0.10	1.57	12.21	0.01	---	---	14.0	0.28	14.2
616080	0.59	0.01	30%	0.02	---	---	---	0.01	0.00	0.38	---	0.12	0.5	0.01	0.5
Total	5.6	0.4	59%	0.1	0.0	0.0	0.1	2.3	15.0	0.4	0.0	0.1	18.1	0.4	18.4

Table 7A-42. Temple City, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
621381	0.01	0.15	12%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.15	0.2
621581	0.51	0.08	56%	0.01	---	---	---	0.41	---	---	---	---	---	0.4	0.08	0.5
621781	10.94	1.02	50%	0.27	---	0.07	---	7.63	---	---	0.91	---	---	8.9	1.02	9.9
621881	0.03	0.47	11%	0.02	---	---	---	---	---	---	---	---	---	0.0	0.47	0.5
622081	16.33	0.95	65%	0.37	---	1.05	---	8.84	---	---	1.10	---	---	11.4	0.95	12.3
622181	8.60	0.01	95%	0.16	---	0.12	---	1.48	---	0.17	0.02	4.98	---	6.9	0.01	6.9
622281	0.04	0.01	50%	0.00	---	0.03	---	0.01	---	---	---	---	---	0.0	0.01	0.0
622381	1.57	0.11	56%	0.04	---	0.00	---	1.04	---	---	0.23	---	---	1.3	0.11	1.4
622481	2.43	0.14	55%	0.05	---	---	---	1.13	---	0.07	0.89	---	---	2.1	0.14	2.3
622581	3.06	0.26	40%	0.08	---	---	---	1.30	---	0.42	0.99	---	---	2.8	0.26	3.0
622681	1.96	0.14	57%	0.03	---	---	---	0.77	---	---	0.95	---	---	1.7	0.14	1.9
622781	0.89	0.34	16%	0.03	---	---	---	0.05	---	---	0.77	---	---	0.8	0.34	1.2
622881	0.94	0.05	62%	0.02	---	---	---	0.64	---	---	0.12	---	---	0.8	0.05	0.8
623481	3.45	0.15	60%	0.08	---	0.14	---	1.31	---	0.90	0.01	---	---	2.4	0.15	2.6
623581	0.06	0.01	45%	0.00	---	---	---	0.04	---	---	0.02	---	---	0.1	0.01	0.1
623681	0.00	0.00	40%	---	---	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
626981	4.41	0.55	51%	0.12	---	---	---	3.41	---	---	---	---	3.5	0.55	4.1
627081	1.70	0.20	50%	0.05	---	---	---	1.30	---	---	---	---	1.4	0.20	1.6
627281	3.65	0.42	51%	0.10	---	---	---	2.83	---	---	---	---	2.9	0.42	3.3
629681	0.01	0.00	50%	0.00	---	---	---	0.00	---	---	---	---	0.0	0.00	0.0
629781	1.42	0.29	36%	0.05	---	---	---	1.08	---	---	---	---	1.1	0.29	1.4
629881	0.00	0.00	12%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	62.0	5.4	59%	1.5	0.0	1.4	0.0	33.3	0.0	1.6	6.0	5.0	48.7	5.4	54.0

Table 7A-43. Uninc. LA County, Aliso Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
693183	3.61	---	91%	0.13	---	---	---	---	---	---	---	---	3.12	3.3	---	3.3
693283	0.56	---	93%	0.02	---	---	---	---	---	---	---	---	0.45	0.5	---	0.5
693883	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
693983	0.03	0.45	9%	0.05	---	---	---	---	---	---	---	---	---	0.1	0.45	0.5
Total	4.2	0.5	70%	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.8	0.5	4.2

Table 7A-44. Uninc. LA County, Arroyo Seco: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
642283	1.06	0.08	42%	0.02	---	---	0.04	0.44	---	0.39	---	---	0.9	0.08	1.0
642383	4.80	1.67	16%	0.22	---	0.18	0.44	---	---	6.30	---	---	7.1	1.67	8.8
642783	0.30	0.01	63%	0.00	---	---	0.01	0.16	---	0.02	---	---	0.2	0.01	0.2
642883	8.94	0.30	68%	0.15	0.04	0.54	0.38	3.87	---	1.77	0.02	---	6.8	0.30	7.1
642983	0.15	0.29	9%	0.02	---	---	0.07	---	---	0.00	---	---	0.1	0.29	0.4
643083	4.27	0.49	53%	0.10	---	0.32	0.31	---	---	0.09	0.05	---	0.9	0.49	1.4
643183	1.37	0.01	74%	0.01	---	0.08	0.03	---	---	0.86	---	---	1.0	0.01	1.0
643283	1.89	0.15	32%	0.06	---	0.11	0.03	---	---	1.82	---	---	2.0	0.15	2.2
643383	0.01	0.01	14%	0.00	---	---	0.00	---	---	0.01	---	---	0.0	0.01	0.0
643683	16.74	0.42	37%	0.41	---	0.26	1.50	---	---	8.63	0.37	---	11.2	0.42	11.6
643783	0.12	0.03	21%	0.00	---	---	0.01	0.01	---	0.12	---	---	0.1	0.03	0.2
643883	1.85	0.45	12%	0.04	---	---	0.11	---	---	2.51	0.00	---	2.7	0.45	3.1
644983	0.00	0.01	18%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
Total	41.5	3.9	39%	1.0	0.0	1.5	2.9	4.5	0.0	22.5	0.4	0.0	33.0	3.9	36.9

Table 7A-45. Uninc. LA County, Bell Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs					Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
700383	0.89	--	26%	0.03	--	--	0.12	0.07	--	--	--	0.54	0.8	--	0.8	
700483	0.00	0.03	7%	0.00	--	--	0.00	--	--	0.00	--	--	0.0	0.03	0.0	
Total	0.9	0.0	26%	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.5	0.8	0.0	0.8	

Table 7A-46. Uninc. LA County, Browns Canyon Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
695883	0.75	---	89%	0.01	---	---	0.05	---	---	---	---	---	0.66	0.7	---	0.7
695983	0.82	---	92%	0.01	---	---	---	---	---	---	---	---	0.77	0.8	---	0.8
696183	0.00	0.01	6%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.01	0.0
696283	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
696383	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
696483	0.00	0.00	6%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
696583	0.98	---	100%	0.02	---	---	---	---	---	---	---	---	1.79	1.8	---	1.8
696683	1.00	---	100%	0.03	---	---	---	---	---	---	---	---	1.35	1.4	---	1.4
696783	1.25	---	79%	0.02	---	---	0.01	0.02	---	---	---	---	1.15	1.2	---	1.2
696883	0.88	---	100%	0.01	0.00	---	---	---	---	---	---	---	0.87	0.9	---	0.9
696983	0.00	0.02	7%	0.00	0.00	---	---	---	---	---	---	---	---	0.0	0.02	0.0
697083	0.80	---	100%	0.01	---	---	---	---	---	---	---	---	1.26	1.3	---	1.3
697183	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
697283	0.00	0.05	9%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.05	0.1
697383	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	6.5	0.1	89%	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	7.8	8.0	0.1	8.1

Table 7A-47. Uninc. LA County, Bull Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
689883	14.71	0.21	86%	0.08	---	---	---	---	---	---	13.88	---	---	14.0	0.21	14.2
689983	4.93	0.07	82%	0.00	---	---	---	---	---	---	4.66	---	---	4.7	0.07	4.7
690083	---	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
690183	---	0.00	---	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
690583	0.04	---	96%	0.00	---	---	---	---	---	---	---	---	0.03	0.0	---	0.0
690683	0.50	---	97%	0.01	---	---	---	---	---	---	---	---	0.37	0.4	---	0.4
690783	0.00	0.01	9%	0.00	---	---	---	---	---	---	0.00	---	---	0.0	0.01	0.0
690883	0.01	0.05	9%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.05	0.1
691083	---	0.00	4%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	20.2	0.3	67%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	18.5	0.0	0.4	19.0	0.3	19.4

Table 7A-48. Uninc. LA County, Compton Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
601783	--	0.00	5%	--	--	--	--	--	--	--	--	--	--	0.0	0.00	0.0
601883	39.04	0.55	90%	1.37	0.32	0.47	0.00	--	30.10	--	--	--	--	32.3	0.55	32.8
601983	0.69	3.08	8%	0.55	--	--	--	--	0.00	--	--	--	--	0.6	3.08	3.6
602183	0.00	0.01	6%	0.00	--	--	--	--	--	--	--	--	--	0.0	0.01	0.0
602383	20.15	0.00	89%	0.37	--	0.04	0.61	7.51	--	0.35	0.47	4.82	14.2	0.00	14.2	
602483	6.74	0.00	90%	0.18	--	--	0.01	1.92	--	0.01	--	2.56	4.7	0.00	4.7	
602583	15.00	0.00	90%	0.33	0.00	0.43	0.29	5.09	0.01	4.23	1.10	1.70	13.2	0.00	13.2	
602683	10.54	0.00	81%	0.22	--	0.17	0.14	5.06	1.96	0.02	0.82	0.19	8.6	0.00	8.6	
602783	0.00	0.02	8%	0.00	--	--	--	--	--	--	--	--	0.0	0.02	0.0	
602883	14.82	--	90%	0.16	0.02	0.00	0.41	7.51	--	0.54	--	2.97	11.6	--	11.6	
603083	0.05	0.04	10%	0.01	--	--	0.02	--	--	0.01	--	0.00	0.0	0.04	0.1	
603283	0.02	0.02	11%	--	--	--	--	0.02	--	--	--	--	0.0	0.02	0.0	
603383	0.02	0.00	29%	0.00	--	--	--	0.01	--	--	--	--	0.0	0.00	0.0	
603483	0.30	0.30	8%	0.12	--	--	0.13	--	--	0.00	0.00	0.00	0.3	0.30	0.6	
603583	0.06	0.00	86%	0.00	--	--	0.00	0.04	--	--	--	--	0.0	0.00	0.0	
603683	3.74	0.17	49%	0.11	--	2.02	0.09	--	--	--	0.68	--	2.9	0.17	3.1	
603783	2.55	0.10	64%	0.05	--	--	0.18	1.62	--	--	0.00	--	1.9	0.10	1.9	

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
603883	0.31	0.23	8%	0.07	---	---	0.18	---	---	0.03	---	---	0.3	0.23	0.5
603983	13.73	0.05	79%	0.27	---	1.53	0.66	0.43	---	7.25	0.05	---	10.2	0.05	10.2
604083	2.67	0.01	89%	0.04	---	0.37	0.06	0.65	---	---	0.34	---	1.5	0.01	1.5
604183	18.03	0.00	95%	0.31	---	1.58	0.46	3.14	0.01	2.59	1.63	0.00	9.7	0.00	9.7
604283	24.53	0.00	84%	0.52	0.01	1.76	0.33	13.83	0.22	1.48	4.17	6.19	28.5	0.00	28.5
604383	1.28	---	31%	0.06	---	0.04	0.01	0.78	---	0.14	0.00	0.20	1.2	---	1.2
604483	0.36	0.14	8%	0.04	---	0.00	0.11	---	---	0.21	0.04	---	0.4	0.14	0.5
604583	0.00	0.01	6%	0.00	---	---	0.00	---	---	0.00	---	---	0.0	0.01	0.0
604683	0.61	0.01	57%	0.01	---	---	0.03	0.35	---	---	0.01	---	0.4	0.01	0.4
604783	0.06	0.04	7%	0.01	---	---	0.02	---	---	---	0.01	---	0.0	0.04	0.1
605083	19.29	---	90%	0.32	---	0.48	0.13	9.69	---	0.98	0.79	3.86	16.3	---	16.3
605783	8.69	---	89%	0.16	0.01	0.15	0.01	4.42	---	0.18	0.16	1.70	6.8	---	6.8
Total	203.3	4.8	77%	5.3	0.4	9.1	3.9	62.1	32.3	18.0	10.3	24.2	165.5	4.8	170.2

Table 7A-49. Uninc. LA County, LA River—above Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
694283	0.00	0.00	9%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
700583	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
700783	0.00	0.08	8%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.08	0.1
700983	2.81	---	89%	0.04	---	---	0.20	0.03	---	---	---	2.25	2.5	---	2.5
701083	0.06	0.36	10%	0.02	---	---	0.05	---	---	---	---	---	0.1	0.36	0.4
701183	5.84	---	97%	0.07	---	---	0.00	---	---	---	---	5.42	5.5	---	5.5
Total	8.7	0.4	84%	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	7.7	8.1	0.4	8.5

Table 7A-50. Uninc. LA County, LA River—below Sepulveda Basin: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
601383	0.00	0.09	5%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.09	0.1
606583	0.00	0.07	5%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.07	0.1
607083	0.11	0.31	10%	0.02	---	---	0.08	---	---	---	---	---	---	0.1	0.31	0.4
607383	0.37	1.30	10%	0.06	---	---	0.23	---	---	0.00	---	0.00	---	0.3	1.30	1.6
607483	0.05	0.21	9%	0.01	---	---	0.03	---	---	---	---	---	---	0.0	0.21	0.2
607883	0.07	0.40	9%	0.04	---	---	0.00	---	---	---	---	---	---	0.0	0.40	0.5
607983	0.01	0.09	9%	0.01	---	---	---	---	---	---	---	---	---	0.0	0.09	0.1
608083	---	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
608283	0.12	0.90	8%	0.11	---	---	---	---	---	---	---	---	---	0.1	0.90	1.0
608883	0.73	5.94	7%	0.24	---	---	0.31	---	---	---	0.03	0.00	---	0.6	5.94	6.5
609383	0.04	0.05	11%	0.01	---	---	0.03	---	---	---	---	---	---	0.0	0.05	0.1
609483	0.00	0.15	5%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.15	0.2
609683	0.40	0.56	11%	0.06	---	---	0.27	---	---	---	---	---	---	0.3	0.56	0.9
609783	0.37	0.87	9%	0.08	---	0.03	0.20	---	---	---	0.01	---	---	0.3	0.87	1.2
609883	0.46	1.01	9%	0.13	---	0.01	0.14	---	---	---	0.10	0.00	---	0.4	1.01	1.4
635483	0.18	1.14	7%	0.09	---	---	0.06	---	---	---	---	---	---	0.2	1.14	1.3
635583	19.20	7.98	31%	0.90	0.01	2.25	0.76	7.29	---	0.01	7.22	0.02	---	18.4	7.98	26.4

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
635683	0.93	0.01	58%	0.03	---	0.16	---	---	---	---	0.65	0.02	---	0.9	0.01	0.9
635783	0.00	0.00	11%	---	---	---	---	0.00	---	---	---	0.00	---	0.0	0.00	0.0
635883	0.01	0.09	6%	0.00	---	---	---	---	---	---	0.00	0.01	---	0.0	0.09	0.1
636583	0.00	0.09	5%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.09	0.1
636683	0.00	0.13	5%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.13	0.1
636983	0.49	1.90	7%	0.12	0.01	0.01	0.12	---	---	---	0.00	0.14	0.04	0.4	1.90	2.3
637083	0.00	0.00	7%	0.00	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
637183	1.11	0.28	43%	0.03	---	---	0.00	0.85	---	---	---	---	---	0.9	0.28	1.2
637283	0.53	2.11	8%	0.13	0.02	0.02	0.05	---	---	---	---	0.16	0.05	0.4	2.11	2.5
637383	12.96	0.13	90%	0.21	0.04	0.95	0.17	4.10	---	---	1.57	3.86	10.9	0.13	11.0	
637483	19.33	0.00	79%	0.40	---	1.65	0.25	0.01	---	7.38	7.02	---	16.7	0.00	16.7	
637583	0.18	0.04	49%	0.01	---	---	---	0.10	---	0.01	0.00	---	0.1	0.04	0.2	
637683	0.04	0.17	9%	0.03	---	---	---	---	---	---	---	---	0.0	0.17	0.2	
638483	0.48	0.74	8%	0.05	---	---	0.02	---	---	0.71	0.00	---	0.8	0.74	1.5	
639483	0.22	0.06	21%	0.04	---	---	---	0.01	---	0.24	---	---	0.3	0.06	0.4	
639783	7.50	0.12	47%	0.37	---	0.33	0.08	2.39	---	3.89	0.97	---	8.0	0.12	8.2	
639883	0.98	0.01	85%	0.04	---	0.02	---	0.19	---	0.34	---	---	0.6	0.01	0.6	
663783	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0	

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
663883	0.54	2.88	29%	0.21	---	0.14	0.00	---	---	---	---	---	---	0.4	2.88	3.2
664483	0.20	3.22	7%	0.22	---	0.06	---	---	---	---	---	---	---	0.3	3.22	3.5
664683	0.02	0.85	7%	0.03	---	---	---	---	---	---	---	---	---	0.0	0.85	0.9
Total	67.6	33.9	32%	3.7	0.1	5.6	2.8	14.9	0.0	13.2	17.3	4.0	61.6	33.9	95.5	

Table 7A-51. Uninc. LA County, McCoy-Dry Canyon Creek: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
698383	1.38	---	90%	0.02	---	---	0.00	---	---	---	---	---	1.28	1.3	---	1.3
698483	1.88	---	54%	0.03	---	---	0.08	---	---	---	---	---	1.57	1.7	---	1.7
698883	5.08	---	92%	0.10	---	---	0.00	---	---	0.00	---	---	3.92	4.0	---	4.0
699283	---	0.00	5%	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
699383	0.00	0.01	7%	0.00	---	---	0.00	---	---	---	---	---	---	0.0	0.01	0.0
Total	8.4	0.0	84%	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	6.8	7.0	0.0	7.0

Table 7A-52. Uninc. LA County, Rio Hondo: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
610983	13.87	0.03	95%	0.15	---	0.21	0.33	6.86	---	1.67	1.06	0.00	10.3	0.03	10.3
611983	0.87	0.02	58%	0.01	---	0.01	0.02	0.73	---	0.01	0.06	---	0.8	0.02	0.9
612183	0.73	0.05	68%	0.01	---	---	0.03	0.48	---	---	0.06	0.01	0.6	0.05	0.6
612283	5.58	0.01	95%	0.07	---	---	0.12	2.29	---	0.00	0.72	1.42	4.6	0.01	4.6
612983	0.09	0.58	9%	0.06	---	---	0.00	---	---	---	---	---	0.1	0.58	0.6
613283	3.17	3.04	21%	0.25	---	0.08	0.02	0.91	---	0.72	---	---	2.0	3.04	5.0
613483	0.48	0.15	38%	0.01	---	0.03	0.00	0.15	---	0.16	---	---	0.4	0.15	0.5
613583	2.02	0.40	32%	0.06	---	---	0.19	1.22	---	---	---	---	1.5	0.40	1.9
613683	2.31	1.05	27%	0.09	---	---	0.26	1.50	---	---	---	---	1.8	1.05	2.9
613883	0.00	0.07	5%	0.00	---	---	---	---	---	---	---	---	0.0	0.07	0.1
613983	11.22	---	84%	0.11	0.01	---	0.41	3.21	---	---	---	4.67	8.4	---	8.4
614183	0.02	0.01	50%	---	---	---	0.00	0.02	---	---	---	---	0.0	0.01	0.0
614683	0.02	0.01	50%	---	---	---	0.00	0.02	---	---	---	---	0.0	0.01	0.0
617083	0.69	0.29	38%	0.03	---	---	---	0.49	---	---	---	---	0.5	0.29	0.8
617183	0.00	0.01	18%	0.00	---	---	0.00	0.00	---	---	---	---	0.0	0.01	0.0
617283	0.00	0.01	7%	0.00	---	---	---	---	---	---	---	---	0.0	0.01	0.0
617383	0.02	0.12	9%	0.01	---	---	---	---	---	---	---	---	0.0	0.12	0.1

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
618683	0.83	0.03	37%	0.02	---	0.02	0.05	0.44	---	0.25	---	0.10	0.9	0.03	0.9
618783	4.87	0.33	58%	0.11	---	---	0.41	2.90	---	0.13	---	0.00	3.6	0.33	3.9
619083	0.16	0.04	49%	0.00	---	---	0.01	0.11	---	---	---	---	0.1	0.04	0.2
619583	1.63	0.11	53%	0.03	---	---	0.11	1.07	---	0.00	---	---	1.2	0.11	1.3
619683	2.71	0.24	53%	0.06	0.01	---	0.14	1.80	---	0.23	0.02	---	2.3	0.24	2.5
619783	1.63	0.17	53%	0.03	---	---	0.08	0.92	---	---	---	---	1.0	0.17	1.2
620083	0.48	0.04	55%	0.01	---	---	0.03	0.27	---	0.15	---	---	0.5	0.04	0.5
620283	11.41	0.88	69%	0.18	---	---	0.51	5.99	---	2.17	---	---	8.8	0.88	9.7
620383	8.44	0.11	95%	0.10	---	0.14	0.40	---	---	5.08	0.00	---	5.7	0.11	5.8
620483	1.23	0.13	69%	0.02	---	---	0.07	0.66	---	0.45	---	---	1.2	0.13	1.3
620583	1.70	0.24	49%	0.04	---	---	0.11	1.00	---	0.02	---	---	1.2	0.24	1.4
620683	0.04	0.09	16%	0.00	---	---	0.00	0.02	---	---	---	---	0.0	0.09	0.1
620783	0.24	0.06	42%	0.00	---	---	0.02	0.14	---	---	---	---	0.2	0.06	0.2
620883	0.09	0.09	21%	0.00	---	---	0.01	0.03	---	0.01	---	---	0.1	0.09	0.1
620983	0.55	0.09	26%	0.03	---	0.02	0.07	0.12	---	0.23	---	---	0.5	0.09	0.6
621083	0.33	0.29	16%	0.02	---	0.00	0.03	0.04	---	0.12	---	---	0.2	0.29	0.5
621183	0.40	0.00	95%	0.01	---	0.05	0.01	0.00	---	0.22	---	---	0.3	0.00	0.3
621383	3.34	---	96%	0.06	0.01	---	0.14	0.93	---	---	---	1.56	2.7	---	2.7

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)													
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037		
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)	
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
621783	0.00	0.00	---	---	---	---	---	---	---	---	---	0.00	---	0.0	0.00	0.0
621883	---	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
622183	0.16	0.92	9%	0.05	---	---	0.09	---	---	---	---	---	---	0.1	0.92	1.1
622283	0.75	0.13	38%	0.02	---	---	0.04	0.48	---	0.00	---	---	---	0.5	0.13	0.7
622483	0.08	0.00	37%	0.00	---	---	0.00	0.05	---	0.00	0.01	---	---	0.1	0.00	0.1
622683	0.01	0.00	60%	0.00	---	---	---	0.00	---	---	0.00	---	---	0.0	0.00	0.0
622783	2.48	0.16	42%	0.05	---	---	0.07	0.62	---	0.01	1.40	---	---	2.2	0.16	2.3
622883	0.00	0.00	---	---	---	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0
623083	0.00	0.00	---	---	---	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0
623183	0.00	0.00	---	---	---	---	---	---	---	---	0.00	---	---	0.0	0.00	0.0
623283	0.00	0.00	16%	---	---	---	0.00	---	---	---	---	---	---	0.0	0.00	0.0
623483	0.03	0.01	27%	0.00	---	---	0.00	0.01	---	0.00	---	---	---	0.0	0.01	0.0
623583	0.63	0.77	25%	0.04	---	0.24	0.17	---	---	0.00	0.06	---	---	0.5	0.77	1.3
623683	2.79	0.21	54%	0.07	---	---	0.27	1.70	---	0.00	---	---	---	2.0	0.21	2.3
623783	0.21	0.54	11%	0.04	---	0.03	0.08	---	---	0.02	0.00	---	---	0.2	0.54	0.7
623883	2.27	0.10	47%	0.06	---	0.00	0.18	1.18	---	0.22	0.00	---	---	1.6	0.10	1.7
623983	3.55	0.28	60%	0.07	0.01	0.00	0.27	2.08	---	0.00	---	---	---	2.4	0.28	2.7
624083	1.06	0.02	95%	0.05	---	0.85	0.04	0.01	---	0.00	---	---	---	1.0	0.02	1.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
624183	7.90	0.43	63%	0.11	---	---	0.24	3.93	---	1.43	0.04	---	5.7	0.43	6.2
624283	2.49	0.28	47%	0.07	---	0.04	0.09	1.79	---	0.22	---	---	2.2	0.28	2.5
624383	0.51	0.09	32%	0.01	---	0.00	0.02	0.02	---	0.11	---	---	0.2	0.09	0.3
624483	1.05	0.10	48%	0.02	---	---	0.07	0.77	---	---	---	---	0.9	0.10	1.0
624583	1.16	0.07	59%	0.02	---	---	0.06	0.71	---	---	---	---	0.8	0.07	0.9
624683	0.00	0.01	16%	0.00	---	---	0.00	0.00	---	0.00	---	---	0.0	0.01	0.0
624783	0.00	0.00	12%	0.00	---	---	---	0.00	---	---	---	---	0.0	0.00	0.0
624883	0.31	0.01	37%	0.01	---	---	0.03	0.16	---	0.17	0.00	---	0.4	0.01	0.4
625083	0.92	0.10	48%	0.02	---	0.00	0.02	0.10	---	1.48	---	---	1.6	0.10	1.7
625183	0.06	0.65	10%	0.03	---	---	0.02	---	---	0.00	---	---	0.0	0.65	0.7
625283	0.00	0.03	9%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.03	0.0
625383	0.08	0.13	7%	0.01	---	---	0.01	---	---	0.12	---	---	0.1	0.13	0.3
625483	0.66	0.04	59%	0.01	---	---	0.04	0.44	---	0.00	---	---	0.5	0.04	0.5
625583	1.15	0.11	21%	0.02	---	---	0.01	0.10	---	0.09	---	---	0.2	0.11	0.3
625683	2.06	0.08	43%	0.01	---	---	0.00	---	---	0.18	---	---	0.2	0.08	0.3
625783	8.09	0.54	65%	0.11	---	---	0.42	4.67	---	---	---	---	5.2	0.54	5.7
625883	4.33	0.28	74%	0.05	0.00	---	0.18	2.43	---	---	---	---	2.7	0.28	2.9
625983	6.45	0.26	69%	0.13	0.04	0.23	0.38	4.03	---	0.00	0.13	---	4.9	0.26	5.2

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
626083	0.03	0.41	8%	0.01	---	---	0.00	---	---	0.00	---	---	0.0	0.41	0.4
626183	0.40	0.12	48%	0.01	---	---	0.02	0.26	---	---	---	---	0.3	0.12	0.4
629183	0.00	0.00	12%	---	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0
629783	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
629883	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
Total	132.8	15.6	59%	2.7	0.1	2.0	6.4	59.9	0.0	15.7	3.6	7.8	98.1	15.6	113.7

Table 7A-53. Uninc. LA County, Tujunga Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
668683	3.13	0.08	47%	0.10	---	---	---	0.02	---	2.02	---	0.08	2.2	0.08	2.3
670283	0.00	0.01	12%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
670483	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
670583	0.29	0.00	96%	0.01	---	---	---	---	---	0.25	---	---	0.3	0.00	0.3
670683	0.07	0.00	51%	0.00	---	---	---	---	---	0.06	---	---	0.1	0.00	0.1
670883	0.04	0.00	---	---	---	---	---	---	---	0.03	---	---	0.0	0.00	0.0
670983	0.10	0.00	94%	0.00	---	---	---	---	---	0.09	---	---	0.1	0.00	0.1
671083	0.00	0.01	7%	0.00	---	---	---	---	---	0.00	---	0.00	0.0	0.01	0.0
671183	0.00	0.04	8%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.04	0.0
671283	0.01	0.08	9%	0.01	---	---	---	---	---	---	---	---	0.0	0.08	0.1
671383	0.01	0.07	9%	0.01	---	---	---	---	---	---	---	---	0.0	0.07	0.1
671483	0.01	0.07	7%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.07	0.1
671583	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
671783	0.00	0.00	7%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
671883	0.00	0.00	8%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
671983	0.00	0.01	10%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private				
672083	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
672583	---	---	---	---	---	---	---	---	---	---	---	---	0.0	---	0.0
672783	0.00	0.00	7%	0.00	---	---	---	---	---	---	---	---	0.0	0.00	0.0
672983	0.00	0.00	18%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0
673083	0.00	0.00	18%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.00	0.0
673583	0.83	0.00	42%	0.06	---	0.03	0.00	---	---	0.07	---	0.65	0.8	0.00	0.8
673683	0.58	0.00	66%	0.02	---	---	---	---	---	0.05	---	0.45	0.5	0.00	0.5
673783	0.17	0.00	91%	0.01	---	---	---	---	---	0.01	---	0.13	0.2	0.00	0.2
673883	0.00	0.01	11%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.01	0.0
673983	0.28	0.28	26%	0.02	---	---	0.10	0.28	---	---	---	---	0.4	0.28	0.7
674083	0.00	0.02	8%	0.00	---	---	0.00	---	---	---	---	---	0.0	0.02	0.0
674183	0.02	0.20	7%	0.01	---	---	---	---	---	---	---	---	0.0	0.20	0.2
674283	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
674383	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
Total	5.5	0.9	32%	0.3	0.0	0.0	0.1	0.3	0.0	2.6	0.0	1.3	4.6	0.9	5.5

Table 7A-54. Uninc. LA County, Verdugo Wash: RAA Output and EWMP Implementation Plan for Final Compliance

Subwatershed ID	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)												
	For Metals by 2028	For Bacteria by 2037	For Metals Attainment by 2028											For Bacteria Attainment by 2037	
	24-hour Volume Managed (acre-ft)	Additional 24-hour Volume Managed (acre-ft)	% Load Reduction Critical Condition	Low-Impact Development				Streets	Regional BMPs				Total BMP Capacity (acre-ft)	Regional BMPs (private)	Cumulative BMP Capacity for both Metals and Bacteria (acre-ft)
				Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private			
653383	2.34	2.13	32%	0.07	0.01	---	0.07	0.88	---	0.30	---	---	1.3	2.13	3.5
653683	0.08	0.08	21%	0.00	---	---	0.02	0.03	---	---	---	---	0.1	0.08	0.1
654283	0.33	3.99	8%	0.08	0.01	0.02	0.13	---	---	0.00	---	---	0.2	3.99	4.2
654483	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
654683	17.57	1.83	53%	0.32	0.03	2.88	0.78	0.84	---	5.83	1.70	---	12.4	1.83	14.2
654783	---	0.00	---	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
654883	0.09	0.43	12%	0.01	---	---	0.05	---	---	0.00	---	---	0.1	0.43	0.5
654983	0.02	0.11	12%	0.00	---	---	0.01	---	---	---	---	---	0.0	0.11	0.1
655183	---	0.00	5%	---	---	---	---	---	---	---	---	---	0.0	0.00	0.0
655283	0.25	0.03	63%	0.00	---	0.07	0.01	0.09	---	0.01	0.01	---	0.2	0.03	0.2
655583	11.73	1.16	74%	0.14	---	0.27	0.51	0.32	---	5.21	1.71	---	8.2	1.16	9.3
655683	0.97	0.63	26%	0.06	---	0.04	0.08	0.21	---	0.31	0.00	---	0.7	0.63	1.3
655783	0.50	1.18	16%	0.04	---	---	0.15	0.09	---	0.06	0.00	---	0.3	1.18	1.5
655983	4.47	1.74	31%	0.15	0.00	0.08	0.52	2.11	---	0.23	0.40	---	3.5	1.74	5.2
Total	38.3	13.3	41%	0.9	0.1	3.4	2.3	4.6	0.0	11.9	3.8	0.0	27.0	13.3	40.3

Appendix 7.B

Subwatershed Index Maps with Control Measure Capacity

This appendix presents the jurished index maps that relate the subwatersheds and jurisdictions to the implementation plan quantities specified in Appendix 7.A. The maps are presented as follows:

Figure 7.B-1. Alhambra Subwatershed Index Map	2
Figure 7.B-2. Burbank Subwatershed Index Map	3
Figure 7.B-3. Calabasas Subwatershed Index Map	4
Figure 7.B-4. Glendale Subwatershed Index Map.....	5
Figure 7.B-5. Hidden Hills Subwatershed Index Map	6
Figure 7.B-6. La Cañada Flintridge Subwatershed Index Map	7
Figure 7.B-7. Los Angeles (San Fernando Valley) Subwatershed Index Map.....	8
Figure 7.B-8. Los Angeles (Downtown/South LA) Subwatershed Index Map.....	9
Figure 7.B-9. Montebello Subwatershed Index Map.....	10
Figure 7.B-10. Monterey Park Subwatershed Index Map	11
Figure 7.B-11. Pasadena Subwatershed Index Map	12
Figure 7.B-12. Rosemead Subwatershed Index Map	13
Figure 7.B-13. San Fernando Subwatershed Index Map	14
Figure 7.B-14. San Gabriel Subwatershed Index Map	15
Figure 7.B-15. San Marino Subwatershed Index Map	16
Figure 7.B-16. South El Monte Subwatershed Index Map.....	17
Figure 7.B-17. South Pasadena Subwatershed Index Map.....	18
Figure 7.B-18. Temple City Subwatershed Index Map.....	19
Figure 7.B-19. Unincorporated LA County Subwatershed Index Map.....	20




Figure 7.B-1. Alhambra Subwatershed Index Map




Figure 7.B-2. Burbank Subwatershed Index Map




Figure 7.B-3. Calabasas Subwatershed Index Map




Figure 7.B-4. Glendale Subwatershed Index Map




Figure 7.B-5. Hidden Hills Subwatershed Index Map




Figure 7.B-6. La Cañada Flintridge Subwatershed Index Map




Figure 7.B-7. Los Angeles (San Fernando Valley) Subwatershed Index Map




Figure 7.B-8. Los Angeles (Downtown/South LA) Subwatershed Index Map




Figure 7.B-9. Montebello Subwatershed Index Map




Figure 7.B-10. Monterey Park Subwatershed Index Map




Figure 7.B-11. Pasadena Subwatershed Index Map




Figure 7.B-13. San Fernando Subwatershed Index Map




Figure 7.B-14. San Gabriel Subwatershed Index Map




Figure 7.B-15. San Marino Subwatershed Index Map




Figure 7.B-16. South El Monte Subwatershed Index Map




Figure 7.B-17. South Pasadena Subwatershed Index Map




Figure 7.B-18. Temple City Subwatershed Index Map




Figure 7.B-19. Unincorporated LA County Subwatershed Index Map

Appendix 7.C

Scheduling of Control Measures for TMDL and EWMP Milestones

These tables present the scheduling of control measures to achieve applicable TMDL and EWMP Milestones. For each milestone, Compliance Targets and an EWMP Implementation Strategy are presented.

The following color-gradients and symbol legend applies to all tables in this appendix.

- RED** = Relative magnitude of volume to be managed by milestone
BLUE = Relative magnitude of BMP capacities by BMP category and milestone
 --- = BMP opportunity was either not available or not selected for the milestone
 (a value of 0.0 means that BMP capacity is non-zero but less than 0.04).

LIST OF TABLES:

Table 7C-1. Alhambra: Targets and EWMP Implementation Plan for Interim and Final Compliance.....	2
Table 7C-2. Burbank: Targets and EWMP Implementation Plan for Interim and Final Compliance.....	3
Table 7C-3. Calabasas: Targets and EWMP Implementation Plan for Interim and Final Compliance.....	4
Table 7C-4. Glendale: Targets and EWMP Implementation Plan for Interim and Final Compliance	5
Table 7C-5. Hidden Hills: Targets and EWMP Implementation Plan for Interim and Final Compliance ...	6
Table 7C-6. La Canada Flintridge: Targets and EWMP Implementation Plan for Interim and Final Compliance	7
Table 7C-7. Los Angeles: Targets and EWMP Implementation Plan for Interim and Final Compliance....	8
Table 7C-8. Montebello: Targets and EWMP Implementation Plan for Interim and Final Compliance ...	11
Table 7C-9. Monterey Park: Targets and EWMP Implementation Plan for Interim and Final Compliance	12
Table 7C-10. Pasadena: Targets and EWMP Implementation Plan for Interim and Final Compliance.....	13
Table 7C-11. Rosemead: Targets and EWMP Implementation Plan for Interim and Final Compliance ...	14
Table 7C-12. San Fernando: Targets and EWMP Implementation Plan for Interim and Final Compliance	15
Table 7C-13. San Gabriel: Targets and EWMP Implementation Plan for Interim and Final Compliance.	16
Table 7C-14. San Marino: Targets and EWMP Implementation Plan for Interim and Final Compliance.	17
Table 7C-15. South El Monte: Targets and EWMP Implementation Plan for Interim and Final Compliance	18
Table 7C-16. South Pasadena: Targets and EWMP Implementation Plan for Interim and Final Compliance	19
Table 7C-17. Temple City: Targets and EWMP Implementation Plan for Interim and Final Compliance	20
Table 7C-18. Uninc. LA County: Targets and EWMP Implementation Plan for Interim and Final Compliance	21

Table 7C-1. Alhambra: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	3.94	0.2	---	0.0	0.2	0.3	0.0	0.3	---	---	1.0
	50% Milestone (2024)	10.61	0.8	---	0.1	1.0	1.4	0.0	0.7	---	---	4.1
	Final Metals (2028)	24.86	1.2	---	0.2	1.5	2.9	0.0	0.7	---	9.2	15.7
	Final Bacteria (2037)	32.70	1.2	---	0.2	1.5	2.9	0.0	0.7	---	17.0	23.5
Rio Hondo	31% Milestone (2017)	12.47	0.2	---	0.1	---	3.6	29.3	0.8	---	---	34.0
	50% Milestone (2024)	32.54	1.0	---	0.2	1.0	13.3	64.2	2.7	---	---	82.5
	Final Metals (2028)	103.34	2.1	---	0.9	2.6	40.3	64.2	3.4	---	20.5	133.9
	Final Bacteria (2037)	119.03	2.1	---	0.9	2.6	40.3	64.2	3.4	---	36.2	149.6
Total	---	151.7	3.3	0.0	1.1	4.1	43.1	64.2	4.1	0.0	53.2	173.1

Table 7C-2. Burbank: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Burbank Western Channel	31% Milestone (2017)	8.74	0.2	0.0	0.3	---	2.1	---	3.4	---	---	6.0
	50% Milestone (2024)	45.78	1.9	0.0	1.6	1.9	11.5	---	14.5	1.0	---	32.4
	Final Metals (2028)	155.18	3.5	0.0	3.8	3.8	31.7	---	15.1	3.1	49.3	110.3
	Final Bacteria (2037)	163.14	3.5	0.0	3.8	3.8	31.7	---	15.1	3.1	57.2	118.2
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	0.08	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	6.57	0.5	0.0	0.5	0.3	1.4	---	1.1	---	---	3.9
	Final Metals (2028)	49.58	2.5	0.0	4.0	4.6	13.4	---	3.5	3.2	0.0	31.2
	Final Bacteria (2037)	88.17	2.5	0.0	4.0	4.6	13.4	---	3.5	3.2	38.6	69.8
Total	---	251.3	6.1	0.0	7.8	8.4	45.1	0.0	18.6	6.3	95.8	188.1

Table 7C-3. Calabasas: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
McCoy-Dry Canyon Creek Area	31% Milestone (2017)	6.35	0.4	---	0.3	0.9	0.5	---	2.9	---	---	5.1
	50% Milestone (2024)	18.79	0.5	---	0.4	1.4	0.9	---	3.0	---	9.4	15.6
	Final Metals (2028)	68.55	0.8	---	0.6	2.0	1.4	---	3.0	---	49.4	57.1
	Final Bacteria (2037)	71.65	0.8	---	0.6	2.0	1.4	---	3.0	---	52.5	60.2
Total	---	71.6	0.8	0.0	0.6	2.0	1.4	0.0	3.0	0.0	52.5	60.2

Table 7C-4. Glendale: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)										
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)	
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private		
Arroyo Seco	31% Milestone (2017)	0.00	---	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	0.03	0.0	---	---	0.0	---	---	0.0	---	0.0	---	0.0
	Final Metals (2028)	0.09	0.0	---	---	0.0	---	---	0.0	---	0.1	---	0.1
	Final Bacteria (2037)	0.14	0.0	---	---	0.0	---	---	0.0	---	0.1	---	0.1
Burbank Western Channel	31% Milestone (2017)	0.17	0.0	---	---	---	0.1	---	---	---	---	---	0.1
	50% Milestone (2024)	1.00	0.0	---	---	0.0	0.5	---	---	---	---	---	0.5
	Final Metals (2028)	3.69	0.1	---	---	0.0	1.1	---	---	---	1.0	---	2.3
	Final Bacteria (2037)	3.82	0.1	---	---	0.0	1.1	---	---	---	1.1	---	2.4
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	0.03	---	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	11.78	0.4	---	0.1	---	4.2	---	3.1	---	---	---	7.8
	Final Metals (2028)	93.64	4.2	---	1.2	4.5	46.1	---	16.6	---	0.0	---	72.6
	Final Bacteria (2037)	143.31	4.2	---	1.2	4.5	46.1	---	16.6	---	49.7	---	122.3
Verdugo Wash	31% Milestone (2017)	0.06	---	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	12.46	0.3	0.0	0.1	---	2.9	3.6	2.5	---	---	---	9.5
	Final Metals (2028)	93.60	2.6	0.0	1.5	6.2	32.0	5.3	11.4	---	12.6	---	71.7
	Final Bacteria (2037)	137.34	2.6	0.0	1.5	6.2	32.0	5.3	11.4	---	56.3	---	115.4
Total	---	284.6	6.9	0.0	2.7	10.7	79.3	5.3	28.0	0.0	107.3	---	240.2

Table 7C-5. Hidden Hills: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Bell Creek	31% Milestone (2017)	0.00	---	---	---	---	0.0	---	---	---	---	0.0
	50% Milestone (2024)	0.09	0.0	---	---	0.0	0.1	---	---	---	0.1	0.1
	Final Metals (2028)	0.24	0.0	---	---	0.0	0.1	---	---	---	0.2	0.3
	Final Bacteria (2037)	0.24	0.0	---	---	0.0	0.1	---	---	---	0.2	0.3
McCoy-Dry Canyon Creek	31% Milestone (2017)	2.14	0.0	---	---	0.0	---	---	0.0	---	1.7	1.7
	50% Milestone (2024)	4.30	0.0	---	---	0.0	---	---	0.0	---	3.4	3.4
	Final Metals (2028)	6.39	0.0	---	---	0.0	---	---	0.0	---	5.0	5.1
	Final Bacteria (2037)	6.39	0.0	---	---	0.0	---	---	0.0	---	5.0	5.1
Total	---	6.6	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	5.2	5.4

Table 7C-6. La Canada Flintridge: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Arroyo Seco	31% Milestone (2017)	0.94	0.1	---	0.0	---	0.5	---	0.0	---	---	0.6
	50% Milestone (2024)	5.73	0.5	---	0.0	0.7	2.8	---	0.0	---	---	4.0
	Final Metals (2028)	24.35	0.9	---	0.0	1.4	6.7	---	0.0	---	8.8	17.9
	Final Bacteria (2037)	37.96	0.9	---	0.0	1.4	6.7	---	0.0	---	22.4	31.5
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	0.01	0.0	---	---	0.0	0.0	---	---	---	---	0.0
	50% Milestone (2024)	0.04	0.0	---	---	0.0	0.0	---	---	---	0.0	0.0
	Final Metals (2028)	0.11	0.0	---	---	0.0	0.0	---	---	---	0.1	0.1
	Final Bacteria (2037)	0.11	0.0	---	---	0.0	0.0	---	---	---	0.1	0.1
Verdugo Wash	31% Milestone (2017)	0.00	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	2.10	0.1	---	0.0	0.3	0.4	---	0.5	---	---	1.3
	Final Metals (2028)	9.88	0.2	---	0.0	0.5	1.1	---	0.5	---	4.1	6.5
	Final Bacteria (2037)	15.87	0.2	---	0.0	0.5	1.1	---	0.5	---	10.1	12.4
Total	---	53.9	1.2	0.0	0.1	2.0	7.8	0.0	0.5	0.0	32.6	44.1

Table 7C-7. Los Angeles: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Aliso Wash	31% Milestone (2017)	30.14	1.2	1.5	0.3	1.3	6.7	0.0	5.2	---	---	16.2
	50% Milestone (2024)	79.97	3.2	1.5	1.1	5.5	22.3	0.0	13.9	---	---	47.5
	Final Metals (2028)	216.36	5.2	1.5	2.2	9.7	46.6	0.0	15.1	---	73.7	154.2
	Final Bacteria (2037)	238.80	5.2	1.5	2.2	9.7	46.6	0.0	15.1	---	96.2	176.6
Arroyo Seco	31% Milestone (2017)	3.55	---	0.0	0.0	---	0.2	1.0	---	---	---	1.2
	50% Milestone (2024)	13.48	0.2	0.0	0.1	---	1.0	11.3	0.0	---	---	12.6
	Final Metals (2028)	51.61	2.0	0.0	1.2	3.3	16.4	17.0	8.8	---	---	48.8
	Final Bacteria (2037)	52.92	2.0	0.0	1.2	3.3	16.4	17.0	8.8	---	1.3	50.1
Bell Creek	31% Milestone (2017)	0.00	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	6.98	0.7	0.5	0.0	1.9	1.7	---	1.2	---	---	5.9
	Final Metals (2028)	25.72	1.4	0.5	0.0	4.7	6.1	---	1.4	---	7.9	22.0
	Final Bacteria (2037)	49.82	1.4	0.5	0.0	4.7	6.1	---	1.4	---	32.0	46.1
Browns Canyon Wash	31% Milestone (2017)	17.89	1.2	2.1	0.0	1.2	7.4	---	---	---	---	12.1
	50% Milestone (2024)	56.09	1.7	2.1	0.0	1.7	12.1	---	---	---	22.6	40.3
	Final Metals (2028)	133.54	2.3	2.1	0.1	2.4	18.2	---	---	---	73.2	98.3
	Final Bacteria (2037)	134.37	2.3	2.1	0.1	2.4	18.2	---	---	---	74.0	99.1
Bull Creek	31% Milestone (2017)	44.17	1.3	0.1	3.3	0.9	1.8	---	25.6	---	---	33.1

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
	50% Milestone (2024)	85.17	2.5	0.1	7.9	2.9	3.8	---	46.7	---	---	63.9
	Final Metals (2028)	239.70	5.9	0.1	25.0	8.3	15.1	---	65.3	---	59.4	179.1
	Final Bacteria (2037)	266.37	5.9	0.1	25.0	8.3	15.1	---	65.3	---	86.1	205.8
Burbank Western Channel	31% Milestone (2017)	10.12	0.5	1.1	0.0	0.4	2.9	---	0.9	0.2	---	6.0
	50% Milestone (2024)	23.73	1.0	1.1	0.0	1.1	8.2	---	1.7	0.8	2.9	16.8
	Final Metals (2028)	69.54	1.5	1.1	0.0	1.7	14.1	---	1.7	1.6	28.5	50.2
	Final Bacteria (2037)	75.44	1.5	1.1	0.0	1.7	14.1	---	1.7	1.6	34.4	56.1
Compton Creek	31% Milestone (2017)	53.03	2.2	0.6	0.0	0.7	27.5	---	5.5	0.5	---	37.0
	50% Milestone (2024)	136.14	4.6	0.6	0.0	2.2	78.9	---	8.9	3.0	0.0	98.3
	Final Metals (2028)	350.19	7.2	0.6	0.0	3.9	157.3	---	8.9	5.4	82.1	265.4
	Final Bacteria (2037)	352.71	7.2	0.6	0.0	3.9	157.3	---	8.9	5.4	84.6	267.9
Los Angeles River—above Sepulveda Basin	31% Milestone (2017)	92.75	1.6	0.9	1.1	0.5	10.4	43.8	20.8	---	---	79.2
	50% Milestone (2024)	227.08	6.4	0.9	4.3	10.0	44.9	44.9	79.0	---	---	190.4
	Final Metals (2028)	668.17	10.5	0.9	9.3	18.2	97.1	44.9	81.1	---	263.9	525.8
	Final Bacteria (2037)	697.18	10.5	0.9	9.3	18.2	97.1	44.9	81.1	---	292.9	554.8
Los Angeles River—below	31% Milestone (2017)	49.77	---	18.5	0.2	---	0.1	15.4	---	---	---	34.1
	50% Milestone (2024)	245.92	7.8	18.5	3.6	3.1	17.7	68.0	59.3	---	---	178.1

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
	Final Metals (2028)	785.15	40.2	18.5	28.4	41.5	173.6	92.9	191.0	16.4	6.3	608.8
	Final Bacteria (2037)	1,253.03	40.2	18.5	28.4	41.5	173.6	92.9	191.0	16.4	474.2	1,076.7
McCoy-Dry Canyon Creek	31% Milestone (2017)	18.24	0.9	0.4	---	2.1	4.9	---	0.4	---	6.7	15.4
	50% Milestone (2024)	44.52	1.0	0.4	---	2.5	6.1	---	0.4	---	26.7	37.1
	Final Metals (2028)	109.51	1.3	0.4	---	3.4	8.9	---	0.4	---	76.3	90.7
	Final Bacteria (2037)	113.96	1.3	0.4	---	3.4	8.9	---	0.4	---	80.8	95.2
Tujunga Wash	31% Milestone (2017)	7.30	---	2.2	0.4	---	0.0	0.7	---	---	---	3.3
	50% Milestone (2024)	80.37	3.9	2.2	4.5	3.1	6.8	2.5	29.1	---	---	52.3
	Final Metals (2028)	288.31	16.0	2.2	33.3	24.9	52.7	2.7	64.8	0.0	14.0	210.6
	Final Bacteria (2037)	504.71	16.0	2.2	33.3	24.9	52.7	2.7	64.8	0.0	230.4	427.0
Verdugo Wash	31% Milestone (2017)	0.49	0.1	0.0	---	0.2	0.1	---	---	---	---	0.3
	50% Milestone (2024)	4.35	0.2	0.0	---	0.5	0.4	---	---	---	2.0	3.1
	Final Metals (2028)	10.66	0.3	0.0	---	0.7	0.6	---	---	---	6.2	7.7
	Final Bacteria (2037)	13.11	0.3	0.0	---	0.7	0.6	---	---	---	8.6	10.1
Total	---	3,752.4	93.6	27.9	99.5	122.7	606.9	157.5	438.6	23.4	1,495.3	3,065.5

Table 7C-8. Montebello: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)										
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs					Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private		
Rio Hondo	31% Milestone (2017)	15.35	0.6	---	0.8	0.0	2.9	---	6.5	---	---	10.9	
	50% Milestone (2024)	39.31	1.7	---	1.9	1.1	7.4	---	15.7	0.9	---	28.6	
	Final Metals (2028)	127.04	4.4	---	7.4	3.6	29.5	---	22.9	8.3	19.1	95.2	
	Final Bacteria (2037)	156.47	4.4	---	7.4	3.6	29.5	---	22.9	8.3	48.5	124.6	
Total	---	156.5	4.4	0.0	7.4	3.6	29.5	0.0	22.9	8.3	48.5	124.6	

Table 7C-9. Monterey Park: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	0.59	0.1	0.0	0.0	---	0.3	---	0.2	---	---	0.6
	50% Milestone (2024)	2.76	0.3	0.0	0.0	---	0.9	---	1.0	0.0	---	2.3
	Final Metals (2028)	7.22	0.5	0.0	0.0	---	2.7	---	1.2	0.2	---	4.7
	Final Bacteria (2037)	11.30	0.5	0.0	0.0	---	2.7	---	1.2	0.2	4.1	8.7
Rio Hondo	31% Milestone (2017)	13.70	0.3	0.4	0.0	---	2.3	1.2	4.3	---	---	8.5
	50% Milestone (2024)	33.66	0.9	0.4	0.1	---	6.1	1.8	14.4	1.1	---	24.8
	Final Metals (2028)	105.39	2.2	0.4	0.3	---	23.7	1.8	17.4	11.2	30.4	87.3
	Final Bacteria (2037)	118.33	2.2	0.4	0.3	---	23.7	1.8	17.4	11.2	43.3	100.3
Total	---	129.6	2.7	0.4	0.3	0.0	26.4	1.8	18.6	11.4	47.4	109.0

Table 7C-10. Pasadena: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Arroyo Seco	31% Milestone (2017)	6.93	0.1	0.0	0.7	---	0.0	0.0	2.2	---	---	3.0
	50% Milestone (2024)	13.85	0.4	0.0	1.2	0.3	0.0	0.0	4.7	---	---	6.6
	Final Metals (2028)	47.69	1.7	0.0	10.7	2.7	0.2	0.0	11.7	---	---	27.0
	Final Bacteria (2037)	55.26	1.7	0.0	10.7	2.7	0.2	0.0	11.7	---	7.6	34.6
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	0.12	0.0	---	---	---	0.1	0.0	0.0	---	---	0.1
	50% Milestone (2024)	0.39	0.0	---	---	0.1	0.2	0.0	0.0	---	---	0.3
	Final Metals (2028)	1.37	0.1	---	---	0.2	0.7	0.0	0.0	---	---	0.9
	Final Bacteria (2037)	2.31	0.1	---	---	0.2	0.7	0.0	0.0	---	0.9	1.9
Rio Hondo	31% Milestone (2017)	35.99	0.7	---	1.0	0.1	8.0	9.6	12.0	---	---	31.5
	50% Milestone (2024)	85.15	2.0	---	2.3	2.0	19.8	14.4	30.3	0.3	---	71.2
	Final Metals (2028)	261.51	5.2	---	9.2	6.7	79.3	14.4	46.4	3.1	32.6	196.8
	Final Bacteria (2037)	290.21	5.2	---	9.2	6.7	79.3	14.4	46.4	3.1	61.3	225.6
Total	---	347.8	7.0	0.0	19.9	9.5	80.2	14.4	58.1	3.1	69.8	262.0

Table 7C-11. Rosemead: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Rio Hondo	31% Milestone (2017)	12.80	0.6	---	0.1	0.6	4.7	---	1.6	---	---	7.6
	50% Milestone (2024)	34.21	1.4	---	0.3	1.9	15.5	---	2.7	---	---	21.9
	Final Metals (2028)	92.03	2.1	---	0.6	3.1	28.6	---	2.7	---	27.9	65.1
	Final Bacteria (2037)	106.10	2.1	---	0.6	3.1	28.6	---	2.7	---	42.0	79.2
Total	---	106.1	2.1	0.0	0.6	3.1	28.6	0.0	2.7	0.0	42.0	79.2

Table 7C-12. San Fernando: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Tujunga Wash	31% Milestone (2017)	4.74	---	---	0.0	---	---	4.0	---	---	---	4.0
	50% Milestone (2024)	10.20	0.1	---	0.1	---	0.0	8.5	0.1	---	---	8.7
	Final Metals (2028)	20.99	1.2	---	0.7	1.5	0.0	13.4	1.4	---	---	18.2
	Final Bacteria (2037)	32.98	1.2	---	0.7	1.5	0.0	13.4	1.4	---	12.0	30.2
Total	---	33.0	1.2	0.0	0.7	1.5	0.0	13.4	1.4	0.0	12.0	30.2

Table 7C-13. San Gabriel: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Rio Hondo	31% Milestone (2017)	9.79	0.3	---	0.1	0.3	3.4	---	2.5	---	---	6.6
	50% Milestone (2024)	26.33	0.9	---	0.2	1.4	10.3	---	5.6	---	---	18.4
	Final Metals (2028)	74.07	1.6	---	0.5	2.8	27.0	---	6.1	---	16.2	54.2
	Final Bacteria (2037)	85.97	1.6	---	0.5	2.8	27.0	---	6.1	---	28.1	66.1
Total	---	86.0	1.6	0.0	0.5	2.8	27.0	0.0	6.1	0.0	28.1	66.1

Table 7C-14. San Marino: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Rio Hondo	31% Milestone (2017)	5.85	---	---	0.0	---	1.1	8.6	---	---	---	9.6
	50% Milestone (2024)	14.27	0.3	---	0.0	0.6	5.6	35.6	0.0	---	---	42.2
	Final Metals (2028)	45.26	0.8	---	0.1	2.1	21.8	35.6	0.0	---	4.0	64.4
	Final Bacteria (2037)	52.42	0.8	---	0.1	2.1	21.8	35.6	0.0	---	11.1	71.6
Total	---	52.4	0.8	0.0	0.1	2.1	21.8	35.6	0.0	0.0	11.1	71.6

Table 7C-15. South El Monte: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Rio Hondo	31% Milestone (2017)	9.32	0.5	0.7	0.4	0.1	1.0	---	3.9	---	---	6.7
	50% Milestone (2024)	30.03	1.3	0.7	1.3	0.5	3.7	---	6.2	---	7.2	21.0
	Final Metals (2028)	55.57	1.7	0.7	1.9	0.7	5.6	---	6.2	---	21.9	38.7
	Final Bacteria (2037)	68.55	1.7	0.7	1.9	0.7	5.6	---	6.2	---	34.8	51.7
San Gabriel River	10% Milestone (2017)	---	---	---	---	---	---	---	---	---	---	0.0
	35% Milestone (2020)	2.24	0.1	---	0.2	0.1	0.6	0.2	---	0.4	---	1.6
	65% Milestone (2023)	5.30	0.1	---	0.3	0.1	1.2	0.2	---	1.2	0.5	
	Final Metals (2026)	8.72	0.2	---	0.5	0.2	1.8	0.2	---	1.7	1.4	6.1
	Final Bacteria (2040)	9.33	0.2	---	0.5	0.2	1.8	0.2	---	1.7	2.0	6.7
Total	---	77.9	1.7	0.7	1.9	0.7	5.6	0.0	6.2	0.0	34.8	51.7

Table 7C-16. South Pasadena: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)										
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)	
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private		
Arroyo Seco	31% Milestone (2017)	0.00	---	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	0.73	0.0	0.1	0.0	---	0.4	0.1	0.2	---	---	---	0.7
	Final Metals (2028)	5.29	0.2	0.1	0.2	0.3	3.5	0.1	0.6	---	---	---	5.1
	Final Bacteria (2037)	5.34	0.2	0.1	0.2	0.3	3.5	0.1	0.6	---	0.0	---	5.2
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	0.01	---	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	4.40	0.2	---	0.0	0.2	1.2	0.0	4.4	---	---	---	6.0
	Final Metals (2028)	19.75	0.6	---	0.0	1.4	8.0	0.0	9.7	---	0.6	---	20.5
	Final Bacteria (2037)	26.37	0.6	---	0.0	1.4	8.0	0.0	9.7	---	7.3	---	27.1
Rio Hondo	31% Milestone (2017)	0.23	---	---	---	---	0.0	0.9	---	---	---	---	1.0
	50% Milestone (2024)	1.75	0.0	---	---	0.0	0.3	15.0	0.2	---	---	---	15.6
	Final Metals (2028)	5.64	0.1	---	---	0.1	2.3	15.0	0.4	---	0.1	---	18.1
	Final Bacteria (2037)	6.03	0.1	---	---	0.1	2.3	15.0	0.4	---	0.5	---	18.4
Total	---	37.7	1.0	0.1	0.3	1.9	13.8	15.2	10.8	0.0	7.8	50.8	

Table 7C-17. Temple City: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Rio Hondo	31% Milestone (2017)	0.02	---	---	---	---	---	---	---	---	---	0.0
	50% Milestone (2024)	16.86	0.6	---	0.5	---	9.5	---	1.3	1.0	---	12.9
	Final Metals (2028)	62.00	1.5	---	1.4	---	33.3	---	1.6	6.0	5.0	48.7
	Final Bacteria (2037)	67.35	1.5	---	1.4	---	33.3	---	1.6	6.0	10.3	54.0
Total	---	67.4	1.5	0.0	1.4	0.0	33.3	0.0	1.6	6.0	10.3	54.0

Table 7C-18. Uninc. LA County: Targets and EWMP Implementation Plan for Interim and Final Compliance

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
Aliso Wash	31% Milestone (2017)	1.28	0.2	---	---	---	---	---	---	---	1.0	1.2
	50% Milestone (2024)	1.64	0.2	---	---	---	---	---	---	---	1.3	1.5
	Final Metals (2028)	4.20	0.2	---	---	---	---	---	---	---	3.6	3.8
	Final Bacteria (2037)	4.65	0.2	---	---	---	---	---	---	---	4.0	4.2
Arroyo Seco	31% Milestone (2017)	1.60	0.0	0.0	0.1	---	0.2	---	0.0	---	---	0.4
	50% Milestone (2024)	12.68	0.2	0.0	0.2	0.3	0.6	---	8.3	---	---	9.7
	Final Metals (2028)	41.51	1.0	0.0	1.5	2.9	4.5	---	22.5	0.4	---	33.0
	Final Bacteria (2037)	45.42	1.0	0.0	1.5	2.9	4.5	---	22.5	0.4	3.9	36.9
Bell Creek	31% Milestone (2017)	0.04	0.0	---	---	0.0	0.0	---	0.0	---	---	0.0
	50% Milestone (2024)	0.39	0.0	---	---	0.1	0.0	---	0.0	---	0.2	0.3
	Final Metals (2028)	0.89	0.0	---	---	0.1	0.1	---	0.0	---	0.5	0.8
	Final Bacteria (2037)	0.92	0.0	---	---	0.1	0.1	---	0.0	---	0.6	0.8
Browns Canyon Wash	31% Milestone (2017)	0.79	0.1	0.0	---	0.0	0.0	---	---	---	0.6	0.7
	50% Milestone (2024)	1.79	0.1	0.0	---	0.0	0.0	---	---	---	1.5	1.6
	Final Metals (2028)	6.50	0.1	0.0	---	0.1	0.0	---	---	---	7.8	8.0
	Final Bacteria (2037)	6.58	0.1	0.0	---	0.1	0.0	---	---	---	7.9	8.1
Bull Creek	31% Milestone (2017)	4.46	0.0	---	---	---	---	---	4.6	---	---	4.6

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
	50% Milestone (2024)	7.95	0.0	---	---	---	---	---	8.3	---	---	8.4
	Final Metals (2028)	20.18	0.1	---	---	---	---	---	18.5	---	0.4	19.0
	Final Bacteria (2037)	20.52	0.1	---	---	---	---	---	18.5	---	0.7	19.4
Compton Creek	31% Milestone (2017)	30.71	0.3	0.4	0.5	---	3.1	20.9	0.0	---	---	25.1
	50% Milestone (2024)	61.21	1.0	0.4	1.1	0.2	6.6	32.2	6.5	---	---	48.1
	Final Metals (2028)	203.28	5.3	0.4	9.1	3.9	62.1	32.3	18.0	10.3	24.2	165.5
	Final Bacteria (2037)	208.06	5.3	0.4	9.1	3.9	62.1	32.3	18.0	10.3	29.0	170.2
Los Angeles River—above Sepulveda Basin	31% Milestone (2017)	2.14	0.1	---	---	0.2	0.0	---	---	---	1.8	2.1
	50% Milestone (2024)	3.02	0.1	---	---	0.2	0.0	---	---	---	2.5	2.8
	Final Metals (2028)	8.72	0.1	---	---	0.3	0.0	---	---	---	7.7	8.1
	Final Bacteria (2037)	9.16	0.1	---	---	0.3	0.0	---	---	---	8.1	8.5
Los Angeles River—below Sepulveda Basin	31% Milestone (2017)	6.40	0.4	0.1	0.5	---	1.2	---	3.1	---	---	5.4
	50% Milestone (2024)	24.44	1.6	0.1	1.6	1.1	3.8	---	10.2	2.8	---	21.1
	Final Metals (2028)	67.63	3.7	0.1	5.6	2.8	14.9	---	13.2	17.3	4.0	61.6
	Final Bacteria (2037)	101.58	3.7	0.1	5.6	2.8	14.9	---	13.2	17.3	37.9	95.5
McCoy-Dry Canyon Creek	31% Milestone (2017)	1.80	0.1	---	---	0.0	---	---	0.0	---	1.3	1.4
	50% Milestone (2024)	4.57	0.1	---	---	0.1	---	---	0.0	---	3.6	3.8
	Final Metals (2028)	8.35	0.1	---	---	0.1	---	---	0.0	---	6.8	7.0

Assessment Area	COMPLIANCE TARGETS: BMP PERFORMANCE GOAL		EWMP IMPLEMENTATION PLAN: APPROACH TO ACHIEVE COMPLIANCE TARGETS, SUBJECT TO ADAPTIVE MANAGEMENT (BMP capacity expressed in units of acre-feet)									
	EWMP Milestone	24-hour Volume Managed (acre-ft)	Low-Impact Development				Streets	Regional BMPs				Cumulative BMP Capacity (acre-ft)
			Ordinance	Planned LID	Public LID	Residential LID	Green Streets	Very High (public, owned)	High (public, owned)	Medium (public, non-owned)	Private	
	Final Bacteria (2037)	8.36	0.1	---	---	0.1	---	---	0.0	---	6.8	7.0
Rio Hondo	31% Milestone (2017)	15.54	0.4	0.1	0.2	0.0	6.0	---	4.0	---	---	10.7
	50% Milestone (2024)	43.24	1.1	0.1	0.5	2.0	15.7	---	10.7	0.5	---	30.5
	Final Metals (2028)	132.83	2.7	0.1	2.0	6.4	59.9	---	15.7	3.6	7.8	98.1
	Final Bacteria (2037)	148.47	2.7	0.1	2.0	6.4	59.9	---	15.7	3.6	23.4	113.7
Tujunga Wash	31% Milestone (2017)	0.72	0.0	---	0.0	---	0.0	---	0.5	---	---	0.6
	50% Milestone (2024)	2.11	0.1	---	0.0	0.0	0.0	---	1.6	---	---	1.7
	Final Metals (2028)	5.54	0.3	---	0.0	0.1	0.3	---	2.6	---	1.3	4.6
	Final Bacteria (2037)	6.43	0.3	---	0.0	0.1	0.3	---	2.6	---	2.2	5.5
Verdugo Wash	31% Milestone (2017)	2.93	0.0	0.1	0.2	---	0.2	---	1.3	---	---	1.8
	50% Milestone (2024)	12.32	0.2	0.1	0.5	0.4	0.7	---	6.4	0.2	---	8.6
	Final Metals (2028)	38.35	0.9	0.1	3.4	2.3	4.6	---	11.9	3.8	---	27.0
	Final Bacteria (2037)	51.65	0.9	0.1	3.4	2.3	4.6	---	11.9	3.8	13.3	40.3
Total	---	611.8	14.6	0.6	21.6	19.0	146.4	32.3	102.6	35.4	137.9	510.2